

CATALOGUE

FOR 1845,

OF A CHOICE COLLECTION

OF

FLORICULTURAL, VEGETABLE, AND AGRICULTURAL SEEDS,

COMPRISING, IN ALL, UPWARDS OF

1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS,

well worthy the attention of Florists and Amateurs in general.

~~~~~  
THE LISTS OF VEGETABLE AND AGRICULTURAL SEEDS  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

~~~~~  
TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

* * * The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

Gift of

Earl Blough

November 1957

THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; lh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stave perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; gh. and hgh. *green or hothouse*; sa. *stave annual*; hb. *hardy biennial*; hhb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. Packets may be had of those marked 3d., &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots | ... | ... | ... | indicate a repetition; *pl. plures*, many; *ex*, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. <i>Stamens (male organs) equal.</i>		e. <i>Stamens united in sets.</i>	
Classes.	No. 1. Monandria . . .	1	stamen
	2. Diandria . . .	2	stamens
	3. Triandria . . .	3	"
	4. Tetrandria . . .	4	"
	5. Pentandria . . .	5	"
	6. Hexandria . . .	6	"
	7. Heptandria . . .	7	"
	8. Octandria . . .	8	"
	9. Enneandria . . .	9	"
	10. Decandria . . .	10	"
	11. Dodecandria 12 to 19 S. in the cup		
	12. Icosandria 20 or more S. on the base		
	13. Polyandria, many Stamens		
	b. <i>Stamens unequal.</i>		
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 " 2 "		
		16. Monadelphia, 1 set	
		17. Diadelphia, 2 sets	
		18. Polyadelphia, many sets	
		d. <i>Compound Flowers (Asters, &c.).</i>	
		19. Syngenesia	
		e. <i>Stamens on the style.</i>	
		20. Gynandria	
		f. <i>Male and female separated.</i>	
		21. Monœcia, on one plant	
		22. Dioœcia, on different plants	
		g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i>	
		23. Polygamia, many marriages	
		h. <i>Flowers wanting, or incomplete.</i>	
		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria many stamens	
No. 25. Monogýnia	1 style	c. On the sets of Stamens.	
26. Digýnia	2 styles	49. Monadelphia, 1 set	
27. Di-pentagýnia	2 to 5 "	d. Styles and stamens united.	
28. Trigýnia	3 "	50. Gynandria	
29. Tetragýnia	4 "	e. Male and female separate.	
30. Pentagýnia	5 "	51. Monœ'cia, on one plant	
31. Hexagýnia	6 "	52. Diœ'cia, on different plants	
32. Heptagýnia	7 "	f. On the Polygamy.	
33. Decagynia	10 "	53. { Polygámia æqualis, or	
34. Dodecagýnia	12 "	Equal Polygamy	
35. Polygýnia	many "	54. { Polygámia superflua	
b. On the Stamens (male organs).		Superfluous Polygamy	
36. Monan'dria	1 stamen	55. { Polygámia frustranea	
37. Diandria	2 stamens	Frustrated Polygamy	
38. Triandria	3 "	56. { Polygámia necessãria	
39. Tetrandria	4 "	Necessary Polygamy	
40. Pentandria	5 "	57. { Polygámia segregãta	
41. Hexandria	6 "	Separated Polygamy	
42. Heptandria	7 "	g. On the Seeds.	
43. Oetandria	8 "	58. { Gymnosper'mia	
44. Enneandria	9 "	Naked seeds	
45. Decandria	10 "	59. Angiosper'mia, in a capsule	
46. Dodecandria	12 "	h. On the Pods.	
47. Icosandria	20 "	60. Siliculõsa, a small pod	
		61. Siliquõsa, a long pod.	

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthæcæ	87. Dipsacæ	112. Melastomæcæ	137. Solanæcæ
63. Amaranthæcæ	88. Ericæcæ	113. Myrsinæcæ	138. Stellatæ
64. Amaryllidæcæ	89. Euphorbiæcæ	114. Myrtæcæ	139. Sterculiæcæ
65. Aquifoliæcæ	90. Ficoideæ	115. Nyctagineæ	140. Styliidiæcæ
66. Apocynæcæ	91. Fumariæcæ	116. Nymphæacæ	141. Thymelæcæ
67. Aristolochiæcæ	92. Graminæcæ	117. Onagraricæ	142. Tiliacæ
68. Asclepiadæcæ	93. Gentianæcæ	118. Oxalidæcæ	143. Tropæolæcæ
69. Balsaminæcæ	94. Geraniæcæ	119. Palmæ	144. Umbelliferæ
70. Berberidæcæ	95. Gesneriæcæ	120. Papaveræcæ	145. Valerianæcæ
71. Bignoniæcæ	96. Grossulariæcæ	121. Passifloræcæ	146. Verbenæcæ
72. Boraginæcæ	97. Hamodoræcæ	122. Pittosporiæcæ	147. Violæcæ
73. Bruniæcæ	98. Hydrophyllæcæ	123. Polemoniæcæ	148. Zygophyllæcæ
74. Byttneriæcæ	99. Hypericæcæ	124. Polygalæcæ	
75. Cactæcæ	100. Iridæcæ	125. Polygonæcæ	Additional Orders.
76. Campanulæcæ	101. Labiatæ	126. Portulacæcæ	149. Aurantiæcæ
77. Capparidæcæ	102. Leguminosæ	127. Primulæcæ	150. Begoniæcæ
78. Cinchonæcæ	103. Liliæcæ	128. Proteacæcæ	151. Dilleniæcæ
79. Cistæcæ	104. Limnanthæcæ	129. Ranunculæcæ	152. Epacridæcæ
80. Cobæcæcæ	105. Linacæcæ	130. Resedæcæ	153. Loranthæcæ
81. Commelinæcæ	106. Loasæcæ	131. Rosæcæ	154. Mioporæcæ
82. Compõsitæ	107. Lobeliæcæ	132. Rutæcæ	155. Nelumbiæcæ
83. Convolvulæcæ	108. Lythracæcæ	133. Saxifragæcæ	156. Plumbaginæcæ
84. Crassulæcæ	109. Magnoliæcæ	134. Scrophulariæcæ	157. Rhamnæcæ
85. Crucifere	110. Marantæcæ	135. Sesâmæcæ	158. Rubiæcæ
86. Cucurbitæcæ	111. Malvæcæ	136. Silenæcæ	159. Caprifoliæcæ

The names of the Natural Orders ending in *acæ* are chiefly derived from generic names, as Campanulæcæ from Campanula; such as end in *æ* only are not, as Compositæ, Palmæ, &c.

ASSORTMENTS

OF

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

* * * *The Smaller Packets are only adapted for Small Gardens.
These Seeds have gained Prizes in all parts of the Kingdom.*

No.	<i>Splendid Asters, hha.</i>	s. d.	No.	<i>Stocks continued, hhb.</i>	s. d.
1	40 varieties,separate	10 0	19	16 Queen & Brompton, <i>hhb.</i>	5 0
2	40 — smaller packets	6 0	20	16 — smaller packets... „	3 0
3	20 varieties	5 0	21	8 Queen & Brompton, „	2 6
4	20 — smaller packets	3 0	22	8 — smaller packets... „	1 6
5	16 new dwarf.....	4 6	<i>Sundry German Seeds.</i>		
6	16 — smaller packets	2 6	23	12 finest Wallflower, <i>hp.</i> ...	5 0
<i>Finest Stocks, hha.</i>			24	12 — smaller, <i>hp.</i>	3 0
7	60 varieties,separate	15 0	25	12 dwarf Larkspur, <i>ha.</i>	3 0
8	60 — smaller packets	8 0	26	10 tall „ „ <i>ha.</i>	2 6
9	25 all dwarf	7 6	27	16 double Poppy, <i>ha.</i>	3 0
10	25 — smaller packets	4 0	28	8 Scabiosa, new, <i>hp.</i>	2 6
11	12 finest dwarf	5 0	29	20 double Balsam, <i>ta.</i>	4 0
12	12 — smaller packets	3 0	30	30 double Hollyhock, <i>hp.</i> ...	6 0
13	12 finest branching	4 0	31	24 <i>Zinnia elegans</i> , <i>hha.</i>	8 0
14	12 — smaller packets	2 0	32	12 do.	5 0
15	12 wallflower-leaved.....	3 6	33	15 finest Petunia, <i>hha.</i>	6 0
16	12 — smaller packets	2 0	34	12 finest Marigold, <i>hha.</i> ...	3 0
17	12 autumnal	3 6	35	10 <i>Elichrysium</i> , <i>hha.</i>	2 6
18	12 — smaller packets	2 0			

SUNDY OTHER ASSORTMENTS,

Including the Finest Varieties.

No.		s. d.	No.		£ s. d.
36	10 <i>Alstrœmèria</i> , <i>fyh.</i> or <i>hhp.</i>	5 0	50	8 <i>Oenothèra</i> , <i>ha & p.</i>	0 2 0
37	6 <i>Anemone</i> , <i>hp.</i>	2 0	51	12 <i>Pentstèmon</i> , <i>hp.</i>	0 3 6
38	6 <i>Aquilegia</i> , <i>hp.</i>	1 6	52	6 <i>Scbizanthus</i> , <i>ha.</i>	0 1 6
39	8 <i>Calliopsis</i> , <i>hha.</i>	1 6	53	12 <i>Snapdragon</i> , <i>hp.</i>	0 3 6
40	10 <i>Campânula</i> , <i>hp.</i>	2 6	54	20 Greenhouse seeds.....	0 10 0
41	6 <i>Candytuft</i> , <i>ha.</i>	1 0	55	50 Hardy Annuals.....	0 7 6
42	8 <i>Clarkia</i> , <i>ha.</i>	1 6	56	25 do. do.	0 4 0
43	8 <i>Convolvulus Major</i> , <i>hha.</i>	2 0	57	50 Finest half-hardy, &c.	1 0 0
44	10 <i>Delphinium</i> , <i>hp.</i>	2 6	58	25 do. do.	0 10 0
45	12 <i>Dianthus</i> , <i>hb & p.</i>	3 6	59	50 Commoner do.	0 12 0
46	8 <i>Digitàlis</i> , <i>hp.</i>	1 6	60	25 do. do.	0 6 0
47	12 <i>Godètia</i> , <i>ha.</i>	2 6	61	25 Fine Perennials.....	0 7 6
48	8 <i>Lobèlia</i> , <i>hb & p.</i>	4 0	62	12 do. do.	0 4 0
49	6 <i>Nemóphila</i> , <i>ha.</i>	2 0			

Explanations.—*hha.* half-hardy annuals; *hhb.* half-hardy biennials; *hhp.* half-hardy perennials; *fyh.* frame or greenhouse; *ha.* hardy annuals; *hp.* hardy perennials. Many of the perennials flower the first year if sown in good time; viz. those marked † in the body of the Catalogue.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, *Adenóphora*, 5, 25, 76, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulácea*, plants with Bell-shaped Flowers.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Adenóphora suaveolens* is rendered Fragrant *Adenóphora*, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue, 1845.

A — indicates a variety. () That the word is not literally translated, or is superadded.													
THE ACCENTS.													
à, è, ì, ò, ù, y', as in <i>Acà-cia</i> , <i>Gardè-nia</i> , <i>Lupè-nus</i> , <i>Cà-cunis</i> , <i>Hy'-acinth</i> .													
á, é, í, ó, and y', as in <i>Itál-ica</i> , <i>ét-egans</i> , <i>bíe-olor</i> , <i>Nemóph-ila</i> (ú does not occur).													
Scientific Name.			Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.			
No.								feet		s. d.			
63	<i>Acàcia lophantha</i>	<i>crest-flowered</i>	23	51	102	G.	ycl.	6	6-8		6		
64	— — —	<i>12 extra fine sp.</i>	div.	4&c	...		2 6		
65	<i>Aclímenes ròsea</i>	<i>rose-coloured</i>	14	59	95	...	rose	1	6-9		6		
66	<i>Aconítum</i> , pl. sp.	<i>(6 fine species)</i>	13	28	129	hp	div.	2	...		1 6		
67	<i>Adenóphora suaveolens</i>	<i>fragrant</i>	5	25	76	hpt	red		3		
68	<i>Adlúmia cirrhósa**</i>	<i>tendrilled</i>	17	41	91	...	w&p	15	6-7		3		
69	<i>Agerátum mexicanum</i>	<i>Mexican</i>	19	53	82	ha	bl.	1½	7-8		3		
70	<i>odorátum</i>	<i>fragrant</i>		3		
71	<i>Allium frágans</i>	<i>fragrant</i>	6	25	103	G.	wh.	1	8-9		6		
72	<i>Alonsóa grandiflora</i>	<i>large-flowered</i>	14	59	134	hlp	sc.	...	6-9		6		
73	— — — <i>picta</i>	<i>painted</i>	s & d		1 0		
74	<i>Alstroeméria aurantiaca</i>	<i>orange</i>	6	25	64	...	or.	2½	6-8		6		
75	<i>Barelayàna</i>	<i>Barelay's</i>	2	...		6		
76	<i>Cummingiana</i>	<i>Cumming's</i>	y & o		1 0		
77	<i>Hookeri</i>	<i>Sir W. Hooker's</i>	rose		1 0		
78	<i>Pelegrina</i>	<i>(striped)</i>	stri.		6		
79	— <i>alba</i>	<i>white-flowered</i>	wh.		1 0		
80	<i>pallida</i>	<i>pale</i>	ro&y		6		
81	<i>pulchella</i>	<i>pretty</i>	s & y		6		
82	<i>pulchra (tricolor)</i>	<i>beautiful</i>	w py		6		
83	<i>valparadiàica</i>	<i>Valparaiso</i>	or.		6		
84	— — —	<i>fine mixed</i>	div.		1 0		
85	<i>Alyssum saxátile</i>	<i>rock</i>	15	60	85	hpt	yel.	1	4-6		3		
86	<i>edentulum</i>	<i>toothless</i>		3		
87	<i>Amaranthus tricolor</i>	<i>threc-coloured</i>	21	40	63	ta	va. l.	1½	7-9		3		
88	<i>Amethystea cærúlea</i>	<i>blue</i>	2	25	101	ha	blue	2	7-8		3		
89	<i>Amphícóme argùta**</i>	<i>(finely-cut)</i>	14	59	71	hlp	li.		1 0		
90	<i>Anagallis arvensis</i>	<i>Pinpernel</i>	5	25	127	ha	sc.	½	...		3		

A — indicates a variety. () That the word is not literally translated, or is superadded.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s.d.
91	Anagallis carnea	flesh-coloured	5	25	127	ha	fl.	1	7-8	3
92	— indica	Indian	bl.	3
93	Monelli	Monelli's	fgh	6-9	6
94	— major	larger	s. bl.	1 0
95	— Philipsi	Philips'	6
96	— superba	superb	1 0
97	— — —	fine mixed	div.	1 0
98	Anemone hortensis	garden	13	35	129	hhp†	...	1½	5-7	6
99	Coronaria	(Poppy A.)	1½	...	6
100	— nova	new (Russian)	3-6	6
101	Hudsoniana	Hudson's Bay	wh.	...	4-5	6
102	Pulsatilla	(Pasque-flower)	vio.	½	5-6	6
103	vitifolia	wine-leaved	wh.	2	7-8	6
104	Anomathæa cruenta	blood-red	3	25	100	...	red	1	6-9	6
105	Anthriscum annuum	annual	6	...	103	ha	7-8	6
106	Liliastrium	lily-like	hp	wh.	1½	5-6	3
107	Aquilegia formosa	beautiful	13	30	129	...	r&o.	2	5-7	3
108	canadensis	Canadian	2½	...	3
109	— elatior	taller	2	...	3
110	glandulosa	glandular	w&b	3
111	grandiflora	large-flowered	bl.	3
112	sibirica	Siberian	b&w	3
113	speciosa	showy	bl.	3
114	Argemone grandiflora	large-flowered	13	25	120	ha	wh.	2½	7-8	6
115	mexicana	Mexican	yel.	3
116	— — —	fine, mixed	w&y	6
117	Aristolochia, 2 sp.**	2 fine species	20	41	67	G.	...	6	...	6
118	Asclepias curassavica	Curassoa	5	26	68	...	sc.	2½	7-9	6
119	Aster pendulus, &c.	(mix. perenn.)	19	54	82	hpt†	bl.	2	6-8	6
120	Astragalus, 6 sp.	(6 fine species)	17	45	102	...	div.	6
121	Athanasia annua	annual	19	53	82	ha	yel.	½	7-8	3
122	Atragene austriaca**	Austrian	13	35	129	hp	b&y.	10	7-9	6
123	Azalea, pl. var.	(20 fine varieties)	5	25	88	...	div.	3	5-6	1 0
124	Baptisia australis	southern	10	...	102	...	bl.	...	6-8	3
125	Bartonia aurea	golden	13	...	106	ha	yel.	2	7-9	3
126	Bauhinia, 4 sp.	(fine mixed)	10	...	102	S.	div.	div.	6-8	1 0
127	Begonia nitida	glittering	21	48	150	...	wh.	2	7-8	6
128	Bignonia, 4 sp.**	(fine mixed)	14	59	71	...	div.	cl.	6-9	1 0
129	Billardiæra, 3 sp.**	(fine mixed)	5	25	122	G.	...	6	...	1 0
130	Blumenbâchia insignis	beautiful	18	48	106	ha	w&r	traï	7-8	6
131	Boerhaavia, sp. ex Chile	Chilian species	1	25	115	hlp†	pur.	2	...	6
132	Bomarea Salsilla**	Salsilla	6	...	64	...	g&e.	cl.	7-9	6
133	— variabilis, 4 var.**	(finest mixed)	div.	1 0
134	Boronia ledifolia	Ledum-leaved	8	...	132	G.	wh.	1½	4-6	6
135	Bossica, 4 sp.	(fine mixed)	16	45	102	...	yel.	div.	5-8	1 0
136	Brachycome iberidifolia	(sky-blue)	19	54	82	hha	bl.	2	7-9	1 0
137	Brachysema latifolium	broad-leaved	10	25	102	G.	er.	4	5-8	1 0
138	Browallia elata	tall	14	59	134	gha	pur.	2	6-8	3
139	— — alba	white	wh.	3
140	Brugmansia bicolor	two-coloured	5	25	137	G.	r&o.	...	7-9	1 0

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
141	<i>Caçàlia coccinea</i>	scarlet	19	53	82	hha	sc.	7-8	3
142	— <i>aurea</i>	(new orange)	or.	6
143	<i>Calampelis scabra</i> **	(<i>Eccremocarpus</i>)	14	59	71	G.	...	6-9	6
144	— <i>longiflora</i> **	long-flowered	d.o.	...	6
145	<i>Calandrinia discolor</i>	two-coloured	11	25	126	hha	rose	2	7-8
146	— <i>grandiflora</i>	large-flowered	p. r.	3
147	— <i>speciosa</i>	showy	pur.	3
148	<i>Calceolaria pinnata</i>	pinnate	2	...	134	...	yel.	1½	6
149	— — —	splendid, mixed	div.	2	6-9	1 6
150	pl. sp. ex <i>Chile</i>	mixed <i>Chilian</i>	fgh	y&p.	...	1 0
151	<i>Calliopsis (Coreopsis)</i>	(finest mixed)	19	55	82	hha	div.	7-9	6
152	— <i>bicolor</i>	two-coloured	y&r.	3
153	— <i>atrosanguinea</i>	dark-red	d. r.	3
154	— <i>fistulosa</i>	quilted	y&r.	4
155	— <i>grandiflora</i>	large-flowered	4
156	— <i>semiplena</i>	semi-double	4
157	<i>Drummondii</i>	<i>Drummond's</i>	y&d.	1	...	3
158	<i>Atkinsoniana</i>	<i>Atkinson's</i>	hpt	yel.	4	3
159	<i>Callichroa platyglossa</i>	(broad-rayed)	...	56	...	hha	...	1	7-8
160	<i>Callistachys ovata</i>	ovate	10	25	102	G.	...	4	6-8
161	<i>Camassia esculenta</i>	esculent	6	...	As.	hp	d. p.	1½	7-8
162	<i>Campanula carpatica</i>	<i>Carpathian</i>	5	...	76	hpt	bl.	½	6-8
163	— <i>geminifera</i>	gem-bearing	7-8
164	— <i>grandiflora</i>	large-flowered	1	6-8	6
165	— <i>latifolia</i>	broad-leaved	pur.	3	...	3
166	— <i>alba</i>	white-leaved	wh.	3
167	<i>Medium</i>	(<i>Canterb. Bell</i>)	bl.	3
168	— <i>alba</i>	white do.	wh.	3
169	— <i>flore-pleno</i>	double do.	b&w	6
170	— <i>pulcherrima</i>	most beautiful	bl.	2	...	6
171	— <i>pyramidalis</i>	pyramidal	hp	...	4	...
172	— <i>alba</i>	white do.	wh.	3
173	— <i>stricta</i>	upright	hb†	bl.	1½	...
174	— <i>trachelioides</i>	<i>Trachelium-like</i>	3	...
175	— <i>Lorei</i>	<i>Lore's</i>	ha	...	1	7-8
176	— <i>alba</i>	white do.	wh.	3
177	— <i>pentagonia</i>	five-angled	pur.	3
178	— <i>alba</i>	white do.	wh.	3
179	<i>Canna coccinea</i>	(<i>Tous les mois</i>)	1	...	110	S.	sc.	2	year
180	<i>Carthamus tinctorius</i>	(<i>Bastard Saffron</i>)	19	53	82	ha	or.	5	7-9
181	<i>Catananche lutea</i>	yellow	yl.	1	7-8	3
182	— <i>cærulea</i>	blue	hpt	bl.	2	6-8
183	— <i>bicolor</i>	two-coloured	w&c	6
184	<i>Celsia cretica</i>	<i>Cretan</i>	14	59	137	...	ycl.	6	7-8
185	<i>Centaurea americana</i>	<i>American</i>	19	55	82	fgh	red	2	8-9
186	— <i>atropurpurea</i>	dark-purple	hpt	pur.	...	7-9
187	2 sp. ex <i>Chile</i>	(2 fine species)	6
188	— <i>depressa</i>	dwarf	ha	b&r.
189	— <i>splendens decusta</i>	burned	hb†	red
190	<i>Cereus triangularis</i>	triangular	12	25	75	S.	wh.	1½	7-8

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N. O.	H. & Dur.	Col. of Fl.	feet	s. d.	
191	<i>Cereus speciosissimus</i>	most showy	12 25	75	S.	cr.	3	7-8	6
192	<i>Cheiranthus fencstrâlis</i>	(<i>Mathiola fen.</i>)	15 61	85	hbb+	pur.	1	...	6
193	<i>Chelone barbata</i>	bearded	14 59	134	hbp+	sc.	2	7-9	6
194	<i>Ly'oni</i>	Lyons	pur.	6
195	<i>Chorozenia rhombea</i>	(various-leaved)	10 25	102	G.	yel.	...	5-6	6
196	<i>Cincaria, pl. var.</i>	(fine mixed)	19 54	82	fgh	div.	...	5-7	1 0
197	— — —	30 spl. varieties	1 6
198	<i>Cistus, pl. sp.</i>	(beautiful mixed)	13 25	79	hbp+	6-9	1 0
199	<i>Cladanthus arabicus</i>	Arabian	19 54	82	ha	yel.	1	7-8	3
200	<i>Clarkia elegans</i>	elegant	8 25	117	...	li.	2	...	3
201	— rosea	rose-coloured	rose	3
202	— rosea plena	double rose	3
203	— pulchella	pretty	1½	...	3
204	— alba	white	wh.	3
205	— grandiflora	large-flowered	red	3
206	— fimbriata	fringed	r & w	6
207	<i>Clématis, sp. australis**</i>	New Holland sp.	13 35	129	G.	wh.	1 0
208	<i>Cledme, 3 species</i>	(3 fine species)	15 61	77	hha	div.	2	...	1 0
209	<i>Clianthus puniceus</i>	granate	17 45	102	G.	sc.	6	6-8	6
210	<i>Clintonia elegans</i>	elegant	16 40	107	hha	bl.	1½	7-8	3
211	— pulchella	pretty	3col.	1 0
212	<i>Clitoria virginiana</i>	Virginian	17 45	102	G.	bl.	6	7-9	6
213	<i>Ternatea</i>	(sky-blue)	S.	...	4	...	6
214	— sp. lilacina	lilac	li.	6	...	6
215	<i>Cobaea scandens**</i>	etimbing	5 25	80	G.	pur.	30	6-9	6
216	<i>Collinsia bicolor</i>	two-coloured	14 59	134	ha	w & p	1½	7-8	3
217	— grandiflora	large-flowered	p & b.	1	...	3
218	— heterophylla	various-leaved	w & r.	1½	...	3
219	<i>Collomia coccinea</i>	scarlet	5 25	123	...	sc.	1	...	3
220	<i>Colutea, 2 sp. Chile</i>	(2 fine species)	17 45	102	G.	1 0
221	<i>Comesperma linifolia</i>	flax-leaved	16 43	124	...	pur.	1 0
222	— sp. australis**	New Holland sp.	cl.	...	1 0
223	<i>Commelina cœlestis</i>	sky-blue	3 25	81	hbp+	bl.	1	6-8	6
224	<i>Convolvulus, 3 sp.**</i>	(3 fine species)	5 ...	83	G.	...	cl.	...	1 0
225	<i>Correa, 2 sp.</i>	(2 fine species)	8 ...	132	4	5-7	1 0
226	<i>Coronilla glauca</i>	glaucous	17 45	102	...	yel.	2	5-8	6
227	<i>Corydalis glauca</i>	glaucous	...	41 91	ha	p & y.	...	7-8	3
228	<i>Cosmanthus fimbriatus</i>	fringed	5 25	98	hha	6
229	<i>Cosmea bipinnata</i>	bipinnate	19 55	82	...	pur.	2	8-9	6
230	<i>Crotalaria elegans</i>	elegant	16 45	102	S.	6-8	1 0
231	— latifolia	broad-leaved	yel.	6
232	— — —	5 fine species	y & p.	1 0
233	<i>Crocianella stylosa</i>	tony-styled	4 25	158	hpt	pink	¾	...	3
234	<i>Cuphea silenoides</i> [tum]	Sitene-like	11 ...	108	ha	pur.	2	7-8	6
235	<i>Cynoglossum glochida-</i>	(sky-blue)	5 ...	72	hpt	bl.	3	4-8	6
236	<i>Cytisus argenteus</i>	silvery	16 45	102	lp	yel.	...	5-7	6
237	— nigricans	black (stemmed)	6
238	— racemosus	bunch-flowered	6
239	<i>Dahlia glabrata</i>	smooth-stalked	19 54	82	hbp+	7-9	6
240	— cosmeaeflora	Cosmea-flowered	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			L.	O.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	O.	H. & Dur.	Col. of Fl.	feet		s. d.
241	<i>Dahlia repens</i>	dwarf	19	54	82	hlip†			7-9	6
242	scapigera	scape-flowering	6
243	variabilis	(finest double)	div.	3&c	...	1 0
244	<i>Datura ceratocaula</i>	horn-stalked	5	25	137	hha	str.	2½	7-8	4
245	fastuosa	showy	pur.	2	...	4
246	— alba	white	wh.	4
247	<i>Delphinium amœnum</i>	pleasing	13	28	129	hpt	bl.	4	7-9	3
248	bicolor	two-coloured	2col.	3	...	3
249	chinense, pl. var.	Chinese, mixed	div.	2	...	6
250	— album	white	wh.	6
251	— plenum	double	bl.	6
252	Clusii	Cluse's	6
253	clatum	(Bee)	div.	4	...	3
254	grandiflorum	large-flowered	bl.	2	...	3
255	palmatifidum	(palm-shaped)	2½	...	3
256	pinniceum	purple	pur.	6
257	speciosum	showy	bl.	3	...	6
258	tricolor	three-coloured	3col.	2½	1 0	...
259	triste	drooping	br.	2	1 0	...
260	volubile	climbing	cl.	...	6
261	urceolatum	pitcher-shaped	bl.	2	...	6
262	— — —	fine mixed	div.	3	...	6
263	<i>Desmodium gyroides</i>	(Moving plant)	17	45	102	S.	pur.	5	1 0	...
264	<i>Dianthus atrorubens*</i>	dark-red	10	26	136	hpt	red	1	6-8	6
265	barbatus	(Sweet William)	hp	div.	1½	...	3
266	— coccineus	scarlet do.	sc.	6
267	— flore-pleno	double do.	div.	6
268	— kermesinus	double crimson	cr.	6
269	<i>Caryophyllus</i>	Carnation	div.	2	...	3
270	— flore-pleno	double	1 0	...
271	— — —	ext. fine German	2 6	...
272	— — —	Picotee, fine	6
273	— — —	ext. fine German	2 6	...
274	chinensis*	Indian, extra	hbt	...	1	...	6
275	— albus plenus	double white	wh.	6
276	fimbriatus	fringed	div.	6
277	giganteus	gigantic	red	4	...	3
278	guttatus	spotted	sp.	½	...	3
279	hispanicus*	Spanish	red	1	...	3
280	— splendens*	scarlet do.	sc.	6
281	hybridus	hybrid	div.	3
282	latifolius*	broad-leaved	3
283	moschatus	(Garden Pink)	hp	3
284	— flore-pleno	finest double	1 0	...
285	plumarius	Feathered Pink	hpt	6
286	pulchellus	pretty	6
287	superbus	superb	li.	1½	...	3
288	<i>Didiscus cæruleus</i>	blue	5	25	144	hha	bl.	2	7-9	6
289	<i>Digitalis aurea</i>	golden	14	59	134	hpt	or.	3
290	grandiflora	large-flowered	yel.	4	...	3

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
291	<i>Digitàlis lævigàta</i>	<i>smooth.</i>	14	59	134	hp†	yel.	2	7-9	...	3	3
292	— <i>ferrugínea</i>	<i>brown</i>	br.	3	3
293	— <i>lutea</i>	<i>yellow</i>	yel.	3	3
294	— <i>purpurea</i>	<i>purple</i>	pur.	3	3	3
295	— <i>alba</i>	<i>white</i>	wh.	3	3
296	— <i>bicornùta</i>	<i>two-horned</i>	3	3
297	— <i>punctàta</i>	<i>spotted</i>	sp.	6	6
298	— — —	<i>fine mixed</i>	div.	6	6
299	<i>Dodecáthcon Meadia</i>	<i>Meadia</i>	5	25	127	G.	...	1	5-7	1	0	0
300	<i>Dolichos</i> , 2 sp.	<i>two species</i>	17	45	102	6	7-8	...	6	6
301	<i>Dracocéphalum altaïense</i>	<i>Altaïe</i>	14	58	101	hp†	bl.	$\frac{1}{2}$	6-8	...	6	6
302	— <i>argunense</i>	<i>Argun</i>	1 $\frac{1}{2}$	6	6
303	— <i>canariense</i>	<i>(Balm of Gilead)</i>	hbp†	p & p	2	3	3
304	<i>Echinum grandiflòrum</i>	<i>large-flowered</i>	5	25	72	hp†	rose	...	7-8	...	3	3
305	— <i>violaceum</i>	<i>violet</i>	ha	vio.	3	3
306	<i>Elichrysium macranthum</i>	<i>large-flowered</i>	19	54	82	hha	fl.	3	3
307	— — <i>album</i>	<i>white</i>	wh.	3	3
308	— <i>robustum</i>	<i>robust</i>	6	6
309	<i>Epàcris</i> , 2 sp.	<i>(two fine species)</i>	5	25	Ep.	G.	1	0
310	<i>Erica</i> , 30 sp.	<i>(finest mixed)</i>	8	...	88	...	div.	div.	div.	2	6	6
311	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	134	hp†	li.	$\frac{1}{4}$	5-7	...	3	3
312	— <i>hispanicus</i>	<i>Spanish</i>	red	3	3
313	<i>Erysimum alpinum</i>	<i>alpine</i>	15	61	85	...	yel.	1	3	3
314	— <i>Peroffskianum</i>	<i>Peroffski's</i>	ha	or.	1 $\frac{1}{2}$	6-8	...	3	3
315	<i>Eschscholtzia cròcea</i>	<i>orange</i>	13	29	120	hp†	3	3
316	— <i>californica</i>	<i>Californian</i>	yel.	3	3
317	— <i>compacta</i>	<i>compact</i>	1	3	3
318	<i>Eucharidium concinnum</i>	<i>neat</i>	8	25	117	ha	pur.	...	7-8	...	3	3
319	— <i>grandiflòrum</i>	<i>large-flowered</i>	6	6
320	<i>Eutoca viscida</i>	<i>(sky-blue)</i>	5	...	98	...	bl.	3	3
321	— <i>multiflòra</i>	<i>many-flowered</i>	sl.	3	3
322	— <i>Wrangeliana</i>	<i>Dr. Wrangel's</i>	li.	3	3
323	<i>Fedia cornucopiæ</i>	<i>Horn of plenty</i>	2	...	145	...	red	3	3
324	<i>Francòla appendiculàta</i>	<i>appendiced</i>	8	29	Fr.	hp†	pink	2	6	6
325	<i>Fuchsia corymbòsa</i>	<i>bunch-flowered</i>	...	25	117	fgh	red	6	6
326	— <i>fulgens</i>	<i>erimson</i>	cr.	1	0
327	— <i>hybrida</i>	<i>fine hybrid</i>	div.	1	6
328	<i>Gaillardia aristàta</i>	<i>eared</i>	19	55	82	hp	or.	...	7-9	...	3	3
329	— <i>bicolor</i>	<i>two-coloured</i>	y & b	3	3
330	— <i>Drummondii picta</i>	<i>painted</i>	ha	y & s	6	6
331	— <i>coccinea</i>	<i>scarlet</i>	sc.	6	6
332	— <i>grandiflòra</i>	<i>large-flowered</i>	y & s	6	6
333	— <i>lanceolàta</i>	<i>lanceolate</i>	hp	yel.	3	3
334	— <i>Richardsoni</i>	<i>Richardson's</i>	or.	6	6
335	<i>Galèga orientàlis</i>	<i>oriental</i>	16	45	102	...	bl.	4	6-8	...	6	6
336	<i>Gardènia latifolia</i>	<i>broad-leaved</i>	5	25	78	S.	yel.	6	2-5	1	0	0
337	<i>Gardòquia</i> , sp. ex Chìle	<i>Chilian species</i>	14	59	101	G.	6	6
338	<i>Genista fràgrans</i>	<i>fragrant</i>	16	45	102	...	yel.	2 $\frac{1}{2}$	6-8	...	6	6
339	— 3 sp.	<i>(3 fine species)</i>	1	0
340	<i>Gentiàna acaulis</i>	<i>stemless</i>	5	26	93	hp†	bl.	$\frac{1}{2}$	4-7	...	6	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			O.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	O.			feet		s. d.
341	<i>Gentiana crinita</i>	long-haired	5	26	93	hpt	bl.	1½	7-8	6
342	— <i>macrophylla</i>	broad-leaved	6
343	— — —	6 species mixed	div.	1 0
344	<i>Geranium ibericum</i>	Iberian	16	42	94	hp	bl.	6
345	<i>Gesnera splendens</i>	splendid	14	59	95	S.	sc.	...	7-9	1 0
346	— — —	12 species mixed	div.	2 6
347	<i>Gœum coccineum</i>	scarlet	12	35	131	hpt	sc.	2	...	3
348	— <i>flöre-pleno</i>	double-flowered	6
349	— <i>sanguineum</i>	dark-scarlet	d.r.	6
350	— <i>splendens</i>	splendid	l.s.	6
351	<i>Gilia achilliefolia</i>	Milfoil-leaved	5	25	123	ha	bl.	...	7-8	3
352	— <i>capitata</i>	headed, 2 var.	w&b	3
353	— <i>splendens</i>	splendid	rose	1½	...	6
354	— <i>tennifolia</i>	fine-leaved	2	...	6
355	— <i>tricolor</i>	three-coloured	3 col.	1	...	3
356	— <i>albo-cærulea</i>	white and blue	w&b	3
357	<i>Glaïolus</i> , 20 var.	(20 fine varieties)	3	...	100	hbp	div.	2	6-9	1 0
358	<i>Gloxinia caulescens</i>	caulescent	14	59	95	S.	pur.	1½	...	6
359	— — —	10 fine sp. m.	div.	1 6
360	<i>Gnaphalium eximium</i>	beautiful	19	54	82	G.	er.	3	...	1 0
361	<i>Godetia</i> (<i>Enothëra</i>)	fine mix., 12 var.	8	25	117	ha	div.	1	7-8	6
362	— <i>bifrons</i>	two-rowed	p&c.	3
363	— <i>concinna</i>	neat	p&r.	¾	...	3
364	— <i>densiflora</i>	etose-flowered	pur.	3
365	— <i>lépida</i>	pretty	li.	1	...	3
366	— <i>Lindleyana</i>	Dr. Lindley's	w&r.	3
367	— <i>purpurea</i>	purple	pur.	3
368	— <i>Romanzovii</i>	Romanzow's	3
369	— <i>rosco-alba</i>	rose and white	r&w	3
370	— <i>rubicunda</i>	blushing	pur.	1½	...	3
371	— <i>tennifolia</i>	fine-leaved	vio.	1	...	3
372	— <i>viminea</i>	twiggy	li.	3	...	3
373	— <i>vinosa</i>	wine-coloured	pur.	1	...	3
374	— <i>Willdenovii</i>	Willdenow's	3
375	<i>Gossypium herbaceum</i>	herbaceous	16	48	111	S.	yel.	4	...	6
376	<i>Grislea tomentosa</i>	downy	8	25	108	...	red	3	5-6	6
377	<i>Gypsophila elegans</i>	elegant	10	26	136	ha	w&p	¾	7-8	3
378	<i>Hedychium</i> , 2 sp.	(2 fine species)	1	25	110	hgh	yel.	4	6-9	6
379	— <i>Gardnerianum</i>	Gardner's	7	...	1 0
380	<i>Helënum Douglasii</i>	Douglas's	19	54	82	ha	...	2	7-8	3
381	<i>Helianthemum</i> , pl. sp.	(finest mixed)	13	25	79	hpt	div.	1	6-8	1 0
382	— <i>guttatum</i>	spotted	ha	yel.	¾	7-8	6
383	<i>Heliophila arabioides</i>	<i>Arabis</i> -like	15	61	85	hha	bl.	6
384	<i>Heliotropium</i> , sp. chilën-	Chilean species	5	25	72	G.	wh.	3	...	6
385	— <i>peruvianum</i> [sis	Peruvian	bl.	6
386	<i>Hibbertia</i> , sp. ex N.H.**	New Holland sp.	13	28	151	...	yel.	5	5-8	1 0
387	<i>Hieracium speciosum</i>	showy	19	53	82	hp	...	3	6-7	6
388	<i>Hibiscus africanus</i>	African	16	48	111	hha	yel.	2	7-8	3
389	— <i>Humboldtii</i>	Humboldt's	6
390	— <i>palustris</i>	marsh	hpt	pink	3	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
391	Hibiscus palustris, albus	white variety	16	48	111	hpt	wh.	3	7-8	s. d.
392	Cameroni	Cameron's	S.	rose	1 0
393	Manihot	Manihot	G.	y&p.	6
394	militaris	(armed)	pur.	6
395	mutabilis	variable	S.	wh.	12	9-10	6
396	speciosus	showy	G.	sc.	2	7-9	1 0
397	Hedera Celsi	Cels's	...	45	102	...	bl.	6	6-8	1 0
398	sp. affinis	related	red	1 0
399	—	4 fine sp. m.	2 0
400	Humea elegans	[folia elegant]	19	53	82	hpt	red	5	6-9	6
401	Hunemannia fumariæ	Funaria-leaved	13	29	120	...	ycl.	2	7-8	6
402	Hypêricum elegans	elegant	18	48	99	6
403	Iberis Tenoreana	Tenore's	15	60	85	...	p&p	1	...	6
404	Impatiens glanduligera	glandular	5	25	69	hha	pur.	3	6-9	3
405	tricornis	three-seeded	6	...	3
406	Ipomæa coccinea**	scarlet	83	ghh	sc.	10	...	6
407	bôna-nox**	Good Night!	wh.	6
408	— purpurascens**	light purple	pur.	6
409	polyanthes**	many-flowered	ycl.	6
410	Quandelit**	(fine-leaved)	sc.	6	...	6
411	rûbro-cærûlea**	(sky-blue)	bl.	10	...	2 6
412	Sellowii**	Sellow's	1 0
413	sp. cærûlea**	blue	6
414	— lucida**	shining	ycl.	6
415	— punctata**	spotted	w&p	6
416	— semperflorens**	ever-flowering	bl.	1 0
417	Nil**	(Anil-blue)	hha	7-9	6
418	triloba**	three-lobed	3
419	superba**	superb	rose	6
420	Ipomopsis elegans	elegant	123	hbt	sc.	2	...	6
421	picta	painted	3	...	6
422	Isotomia axillaris	axillary	107	G.	bl.	1	7-8	6
423	Kaulfussia amelloides	Amellus-like	19	54	82	ha	...	3	...	3
424	Kennedia glabrata**	smooth	17	45	102	G.	...	6	6-9	6
425	Marryattæ**	Mrs. Marryatt's	sc.	6
426	prostrata**	prostrate	6
427	rubicunda**	blushing	red	6
428	sp. cærûlea**	blue species	bl.	6
429	sp. coccinea**	scarlet	sc.	6
430	Lablavia, 2 sp.	Lablab	p&w	6
431	Lantana Sellowiana	Sellow's	14	59	146	hbp	pur.	1 1	...	6
432	Lathyrus azureus	azure	17	45	102	ha	bl.	...	7-8	3
433	latifolius	broad-leaved	hpt	red	4	...	3
434	sphaericus	spherical	ha	sc.	3	...	3
435	Lavatera arborea	tree-like	16	48	111	hp	pur.	7	6-8	3
436	Salvitella	Salvitella	ha	pink	2	7-8	3
437	Lawsônia inermis	(Mignonette Tree)	8	25	108	ghh	wh.	8	6-8	1 0
438	Leptosiophon densiflorus	close-flowered	5	...	123	ha	li.	1	7-8	3
439	androsæcus	Androsace-like	div.	3	...	3
440	— albus	white	wh.	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
441	Leptospermum, 4 sp. (4 fine species)	12	25	114	div.		3	6-8	1 0
442	Leucadendron argenteum silvery	22	39	128	G.	yel.	12	7-9	1 0
443	Lyccesteria forinosa beautiful	5	25	159	hp	w & p	6	...	6
444	Leucopsidinmarkenseum Arkansas								6
445	Liättris spicata spiked	19	53	82	hp	pur.	6	7-9	6
446	Linum austriacum Austrian	5	30	105	hpt	bl.	2	7-8	3
447	monogyum one-styled	wh.	3	...	6
448	perenne perennial	bl.	2	...	3
449	Limnanthes Douglassii Douglas's	10	25	104	ha	w & y	$\frac{3}{4}$...	3
450	grandiflorus large-flowered	6
451	Linaria, 6 sp. (6 pretty species)	14	59	134	...	div.	1	...	1 0
452	Lisianthus Russellianus D. of Bedford's	5	25	93	G.	pur.	3	...	1 0
453	Loasa Herberti** Ho. Mr. Herbert's	18	48	106	bhp+		6	6-8	6
454	aurantiaca** orange-coloured	or.	6
455	grandissima** grandest, new	sc.	2 6
456	lucida** shining	w & s	3	...	1 6
457	Pentlandica Pentland's	6
458	Placci Place's	ha	yel.	2	7-8	3
459	tricolor three-coloured	3col.	3
460	Lobelia azurea azure	5	25	107	bhp+	bl.	1	...	6
461	coronopifolia Coronopus-leaved	$\frac{1}{2}$...	6
462	decumbens decumbent	6
463	Erinus Erinus	bl.	6
464	erinoides Erinus-like	6
465	gracilis slender	ha	...	1	...	3
466	— alba white	wh.	3
467	ignea flame-coloured	G.	sc.	2	...	6
468	ramosa branching	bhp+	b & w	1	...	6
469	Lophospermum scandens climbing**	14	59	134	G.	blsh.	6	7-9	6
470	— Hendersoni** Henderson's	spot.	6
471	atrosanguineum** dark-red	red	6
472	erubescens blushing	pur.	3	...	6
473	Lotus jacobæus St. James's Island	17	45	102	gha	dark	1	7-8	6
474	Lupinus bicolor two-coloured	16	ha	p & b.	3
475	Hartwegii Hartweg's	b & w	2	...	3
476	mexicanus Mexican	bl.	3
477	mutabilis variable	var.	3	...	3
478	— Cruikshanksii Cruikshanks'	3
479	nanus dwarf	p & b	1	...	3
480	arborescens tree-like	hpt	div.	4	...	3
481	elegans elegant	b & r.	2	...	6
482	grandiflorus large-flowered	pur.	3
483	lepidus pretty	b & p.	$1\frac{1}{2}$...	6
484	polyphyllus many-flowered	bl.	3	...	3
485	— albus white do.	wh.	3
486	— — — 16 fine var. m.	div.	2	...	1 0
487	Lychnis fulgens glittering	10	30	136	bhp+	sc.	1	6-8	6
488	chalcédonica (scarlet)	hp	...	2	7-8	3
489	— alba et rosea white and rose	w & r	3
490	cœli-rosa Rose of Heaven	ha	flsh.	1	...	3

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
491	<i>Lychnis flos-Jövis</i>	<i>Jove's-flower</i>	10	30	136	hpt	red	1	7-8	3		
492	<i>Githägo</i>	(<i>Rose Campion</i>)	ha	3
493	— <i>alba</i>	<i>white ditto</i>	wh.	3
494	<i>Lythrum alätum</i>	<i>winged</i>	11	25	108	G.	pur.	3	5-9	6		
495	<i>röscum superbum</i>	<i>superb rose</i>	rose	1 0		
496	<i>Madia elegans</i>	<i>elegant</i>	19	54	82	hha	yel.	...	7-8	3		
497	<i>Málope trifida</i>	<i>trifid</i>	16	48	111	...	pur.	2	...	3		
498	— <i>grandiflora</i>	<i>large-flowered</i>	3		
499	— <i>alba</i>	<i>white</i>	wh.	3		
500	<i>Malva elegans</i>	<i>elegant</i>	G.	sc.	3	5-8	6		
501	<i>moschata, alba</i>	<i>musk, white</i>	hpt	wh.	2	7-8	3		
502	<i>Moreni</i>	<i>Moreni's</i>	red	3		
503	<i>zebrina</i>	(<i>striped</i>)	ha	stri.	3		
504	<i>Manúlea violacca</i>	<i>violet</i>	14	59	134	hhpt	vio.	3		
505	<i>Marty'nia fragrans</i>	<i>fragrant</i>	135	gha	var.	...	7-9	1 0		
506	<i>proboscidea</i>	<i>proboscis-like</i>	li.	6		
507	<i>Maurandya Barclayana</i>	<i>Barclay's**</i>	134	G.	b & w	10	4-9	6		
508	<i>antirrhiniflora**</i>	<i>Snapdragon-fl'd.</i>	p & w	8	...	6		
509	<i>semperflorens**</i>	<i>ever-blooming</i>	pink	6		
510	<i>McLalcauca, 5 sp.**</i>	(<i>5 fine species</i>)	18	48	114	...	y & r	6		
511	<i>Mesembryanthemum tri.</i>	<i>three-eal., extra</i>	12	27	90	hha	red	½	6-8	6		
512	<i>tricolor, album</i>	<i>white variety</i>	wh.	6		
513	<i>glabrum</i>	(<i>fine yellow</i>)	yel.	6		
514	<i>Mímulus cardinalis</i>	<i>Cardinal's</i>	14	59	134	hhpt	sc.	2	...	3		
515	<i>moschatus</i>	<i>musk</i>	yel.	½	...	3		
516	— <i>növus</i>	<i>new musk</i>	sp.	1	...	6		
517	— — —	<i>finest mixed</i>	div.	1	...	1 0		
518	<i>Mirbèlia speciosa</i>	<i>showy</i>	10	25	102	G.	pur.	2	5-7	1 0		
519	<i>Monótoca elliptica</i>	<i>elliptic</i>	5	...	Ep.	...	wh.	8	5-8	6		
520	<i>Nemësia floribunda</i>	<i>bunch-flowered</i>	14	59	134	bha	w & y	½	7-8	6		
521	<i>Nemóphila aurita</i>	<i>ear-shaped</i>	5	25	98	ha	vio.	2½	...	3		
522	<i>atomaria</i>	(<i>dotted</i>)	sp.	1	...	3		
523	— <i>azúrea</i>	<i>blue-spatted</i>	3		
524	<i>discoidalis</i>	<i>disc-flowered</i>	bord	6		
525	<i>hybrida</i>	<i>hybrid</i>	sp.	3		
526	<i>insignis</i>	<i>beautiful</i>	bl.	3		
527	— <i>grandiflora</i>	<i>larger-flowered</i>	3		
528	— <i>alba</i>	<i>white</i>	wb.	6		
529	— <i>punctata</i>	<i>spotted</i>	sp.	1 0		
530	<i>phacelioides</i>	<i>Phacelia-like</i>	bl.	1½	...	6		
531	<i>Nolana atriplicifolia</i>	<i>Atriplex-leaved</i>	137	bha	w & y	1	...	3		
532	<i>paradoxa</i>	<i>paradoxical</i>	vio.	3		
533	<i>prostrata</i>	<i>prastrate</i>	bl.	trai	...	3		
534	2 sp. <i>növæ</i>	— — —	G.	1 0		
535	<i>Nönea rosea</i>	<i>rose-coloured</i>	72	ha	rose	1½	7-8	3		
536	<i>Nuytsia floribunda</i>	<i>bunch-flowered</i>	6	...	153	G.	sul.	6	...	1 0		
537	<i>Nymphaea cyanea</i>	<i>sky-blue (aquat.)</i>	13	...	116	S.	bl.	trai	6-9	1 0		
538	<i>Lotus</i>	(<i>Egyptian Lotus</i>)	pink	1 0		
539	<i>Oenothera acaulis</i>	<i>stemless</i>	8	...	117	hpt	wh.	...	6-8	3		
540	<i>biennis</i>	<i>biennial</i>	hbt	yel.	2½	...	3		

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			Col.	L.	O.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.												s. d.
541	<i>Oenothera Drummondii</i>	<i>Drummond's</i>	8	25	117	h	h	p	ycl.	fcet	6-8	6
542	<i>fruticosa alba</i>	<i>white</i>	h	h	p	wh.	2½	...	6
543	<i>hirsuta</i>	<i>hairy</i>	h	h	p	ycl.	1	...	6
544	<i>longiflora</i>	<i>long-flowered</i>	h	b	p	...	1½	...	3
545	<i>macrocarpa</i>	<i>large-fruited</i>	h	p	p	...	1	...	6
546	<i>odorata</i>	<i>fragrant</i>	h	b	p	...	2	...	3
547	<i>rosea</i>	<i>rose-coloured</i>	h	h	b	rosc	1	5-7	3
548	<i>Sellowii</i>	<i>Sellow's</i>	ycl.	3
549	<i>speciosa</i>	<i>showy</i>	h	p	p	wh.	2	7-9	6
550	<i>taraxacifolia</i>	<i>Dandelion-leaved</i>	ycl.	½	...	6
551	<i>tetraptera</i>	<i>four-winged</i>	wh.	1	7-8	3
552	— — —	<i>fine mixed</i>	h	p	p	y & w	div.	...	6
553	<i>Ononis rotundifolia</i>	<i>round-leaved</i>	16	45	102	l	p	...	pink	3	5-7	6
554	<i>Opuntia vulgaris</i>	<i>Cochenille Plant</i>	12	25	75	G.	ycl.	...	6-8	6
555	<i>Oxalis rosea</i>	<i>rose-coloured</i>	10	30	118	h	p	p	rosc	1	7-8	6
556	<i>Oxylodinum, 2 sp.</i>	(2 fine species)	...	25	102	G.	1 0	...
557	<i>Oxydra chrysanthemoides</i>	<i>Chrysanth.-like</i>	19	54	82	h	a	...	w & y	1	7-8	3
558	<i>Papaver amicum</i>	<i>pleasing</i>	13	25	120	h	p	p	ver.	2	...	3
559	<i>cambricum</i>	<i>Welch</i>	ycl.	1	...	3
560	<i>floribundum</i>	<i>bunch-flowered</i>	sc.	1½	...	6
561	<i>orientale</i>	<i>Oriental</i>	3	...	3
562	<i>pulcherrimum</i>	<i>most beautiful</i>	6
563	— — —	<i>6 species mixed</i>	div.	6
564	<i>Parkinsonia aculeata</i>	<i>spiny</i>	10	...	102	S.	ycl.	10	...	6
565	<i>Patersonia, 3 sp.</i>	(3 fine species)	16	38	100	G.	b	& p	1	5-7	1 0	...
566	<i>Passiflora Mayana**</i>	<i>May's</i>	...	40	121	h	p	p	wh.	20	7-8	6
567	<i>edulis**</i>	<i>esulent</i>	S.	6
568	<i>quadrangularis**</i>	<i>four-angled</i>	g	b r	...	7-9	1 0	...
569	<i>incarnata**</i>	<i>flesh-coloured</i>	G.	pink	6
570	<i>kermesina**</i>	<i>crimson</i>	S.	cr.	...	1 0	...
571	<i>laurifolia**</i>	<i>laurel-leaved</i>	g	& p.	6
572	<i>maliformis**</i>	<i>apple-shaped</i>	g	& r.	1 0	...
573	<i>Pclargonium (Geranium)</i>	<i>finest mixed</i>	...	42	94	G.	div.	3	...	2 6
574	— — —	<i>smaller packet</i>	1 0
575	<i>coccineum novum</i>	<i>new scarlet</i>	sc.	1 0
576	<i>Pentapetes phœnicea</i>	(scarlet)	...	46	139	S.	2	6
577	<i>Pentstemon atrorubens</i>	<i>dark-red</i>	14	59	134	h	p	p	d. r.	...	7-8	4
578	<i>campanulatum</i>	<i>bell-flowered</i>	pur.	4
579	<i>confertum</i>	<i>crowded-flowered</i>	ycl.	6
580	<i>digitalis</i>	<i>Digitalis-like</i>	wh.	4
581	<i>gentianoides</i>	<i>Gentian-like</i>	cr.	4
582	— <i>coccineum</i>	<i>scarlet</i>	sc.	6
583	<i>hirsutum</i>	<i>hairy</i>	p. p	6
584	<i>latifolium</i>	<i>broad-leaved</i>	6
585	<i>Mackayianum</i>	<i>Mackay's</i>	p & y.	6
586	<i>Milleri</i>	<i>Miller's</i>	6
587	<i>pulchellum</i>	<i>pretty</i>	li.	4
588	<i>roscum</i>	<i>rosc-coloured</i>	rose	4
589	<i>speciosum</i>	<i>showy</i>	bl.	...	1 0	...
590	— — —	<i>12 species mixed</i>	div.	1 0

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		<i>s. d.</i>
591	<i>Pectunia phœnicea</i>	purple	5	25	137		hbp	pur.	2	6-9	3
592	violæa	violet	vio.	3
593	nyctaginiflora	(white)	wh.	3
594	— — —	splendid mixed	div.	1 0
595	<i>Phacelia congesta</i>	thick-flowered	98		ha	bl.	...	7-8	3
596	conspicua	conspicuous	3
597	tanacetifolia	Tansy-leaved	3
598	<i>Phlox Drummondii</i> , 20 v.	Drummond's	123		hha	div.	1½	7-9	1 0
599	— coccinea	scarlet	sc.	1 0
600	pl. sp. perennans	fine mix. peren.	hpt	div.	2	...	6
601	<i>Phyllanthus</i> , sp. N. H.	New Holland sp.	21	48	89		G.	6
602	<i>Pimæla spectabilis</i>	showy	2	25	141	2 6
603	3 sp. N. Holl.	(3 fine sp. mixed)	1 0
604	<i>Platylobium triangulare</i>	triangular	16	45	102	or.	4	6-9	1 0
605	<i>Platystemon californi-</i>	Californian	13	25	120		ha	yel.	½	7-8	6
606	<i>Podalyria sericea</i> [cum	silky	10	...	102		G.	pur.	6	1-9	1 0
607	<i>Podolepis gracilis</i>	slender	19	54	82		hha	...	½	7-8	3
608	<i>Poinciana pulcherrima</i>	most beautiful	10	25	102		S.	3col.	10	6-9	1 0
609	— lutea	yellow var.	yel.	1 0
610	<i>Polygala myrtifolia</i>	myrtle-leaved	17	43	124		G.	pur.	3	5-8	6
611	<i>Portulaca grandiflora</i>	large-flowered	11	25	126		hha	var.	½	7-9	6
612	splendens	splendid	c&w	6
613	<i>Thellusoni</i>	Thelluson's	sc.	6
614	<i>Potentilla formosa</i>	beautiful	12	35	131		hpt	pur.	1½	...	3
615	atrosanguinea	dark-red	red	3
616	splendens	splendid	yel.	6
617	— — —	6 sp. separate	div.	1 6
618	— — —	fine mixed	6
619	<i>Primula cortusoides</i>	Cortusa-like	5	25	127		G.	red	½	5-7	6
620	sincensis fimbriata	fringed, 2 var.	w&r	1	...	1 0
621	<i>Psoralea</i> , sp. capensis	Cape species	17	45	102	bl.	2	6-8	6
622	<i>Pultenaea</i> , 6 sp.	(6 fine species)	10	25	1 6
623	<i>Ramonda pyrenæica</i>	Pyrenean	5	...	137		hpt	pur.	¾	6-8	6
624	<i>Ranunculus asiaticus</i>	Asiatic	13	35	129		hp	div.	1	...	1 0
625	<i>Rhodanthe Manglesi</i>	Capl. Mangles's	19	54	82		hha	rose	6
626	<i>Rhododendron</i> , pl. sp.	(splendid mixed)	10	25	88		hp	div.	1 0
627	<i>Ricinocarpus pinifolius</i>	pine-leaved	1 0
628	<i>Rudbeckia elegans</i>	elegant	19	55	82		hpt	or.	2	7-8	6
629	amplexicaulis	stem-clasping	hha	yel.	3
630	fulgida	shining	hpt	...	3	...	6
631	intermedia	intermediate	3
632	pinnata	pinnate	3
633	<i>Salpiglossis atropurpurea</i>	dark-purple	14	59	137		hhb+	pur.	2	6-9	6
634	picta	painted	var.	6
635	— — —	(splendid mixed)	div.	1 0
636	<i>Saponaria calabrica</i>	Calabrian	10	26	136		ha	pink	¾	7-9	6
637	oeymoides	Ocymum-like	hpt	5-9	6
638	<i>Salvia bicolor</i>	two-coloured	2	25	101	b&w	3	7-9	3
639	coccinea	scarlet	sc.	2	...	6
640	<i>Clusii</i>	Cluse's	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
								feet		s. d.
641	<i>Salvia hispánica</i>	<i>Spanish</i>	2	25	101	ha	p & b	1½	7-9	6
642	<i>limbata</i>	<i>bordered</i>	hpt		2½	...	3
643	<i>pätens</i>	<i>spreading</i>	bl.	3	...	1 0
644	<i>Tenöri</i>	<i>Tenore's</i>	2	...	3
645	<i>Sauvitalia proeumbens</i>	<i>proeumbent</i>	19	54	82	hha	ycl.	6
646	<i>Saracha viscösa</i>	<i>viscous</i>	5	25	137	hhp+	wh.	6
647	<i>Saussürca pulchella</i>	<i>pretty</i>	19	53	82	hpt		6
648	<i>Scabiösa amöna</i>	<i>pleasing</i>	4	25	87	...	pur.	3
649	<i>Schizanthus Grahämi</i>	<i>Graham's</i>	14	59	134	hlb+	r & y.	6
650	<i>retusus</i>	<i>buml-leaved</i>	c & y.	6
651	— <i>superbus</i>	<i>superb</i>	div.	1 0
652	<i>pinnatus</i>	<i>pinnate</i>	ha	l.p.y.	1½	7-8	3
653	— <i>humilis</i>	<i>dwarf</i>	l.r.y.	1	...	3
654	<i>porrigens</i>	<i>spreading</i>	l.p.y.	1½	...	3
655	<i>Priestli</i>	<i>Priest's</i>	wh.	3
656	<i>pulchellus</i>	<i>pretty</i>	w & p	3
657	<i>venustus</i>	<i>beautiful</i>	dark	3
658	<i>Schizopétalon Walkèri</i>	<i>Walker's</i>	15	61	85	hha	wh.	1	...	6
659	<i>Scutellaria alpina</i>	<i>alpine</i>	14	58	101	hpt	b & w	¾	6-8	3
660	<i>Columnæ</i>	<i>Columna's</i>	bl.	1½	...	6
661	<i>gargánica</i>	<i>Mounl Gargan</i>	6
662	<i>japónica</i>	<i>Japan</i>	6
663	<i>peregrina</i>	<i>foreign</i>	vio.	2	...	6
664	<i>scordifolia</i>	<i>Scordium-leaved</i>	bl.	1½	...	6
665	<i>Scyphanthus elegans**</i>	<i>elegant</i>	18	48	106	hhp+		cl.	7-9	1 0
666	<i>Silene fimbriata</i>	<i>fringed</i>	10	28	136	hpt	wh.	2½	5-8	6
667	<i>compacta</i>	<i>compact</i>	ha	pink	1½	7-8	3
668	<i>pendula</i>	<i>pendulous</i>	rose	1	...	3
669	<i>regia</i>	<i>royal</i>	hpt	sc.	1½	6-9	6
670	<i>Sisyrinchium anceps</i>	<i>two-edged</i>	3	25	100	hp	bl.	3
671	<i>Solanum, sp. ex Chilc</i>	<i>Chilean species</i>	5	...	137	bhp		2	7-9	6
672	<i>Sollya heterophylla**</i>	<i>various-leaved</i>	122	G.	bl.	6	...	6
673	<i>sp. ex N. Holl.**</i>	<i>New Holland sp.</i>	6
674	<i>Sphaenogyne speciosa</i>	<i>showy</i>	19	55	82	hha	y & d	1¼	7-8	6
675	— <i>grandiflora</i>	<i>large-flowered</i>	1 0
676	<i>Stachys coccinea</i>	<i>scarlet</i>	14	58	101	hpt	sc.	...	6-S	6
677	<i>speciosa</i>	<i>showy</i>	6
678	<i>Státice latifolia</i>	<i>broad-leaved</i>	5	30	156	hp	bl.	1	5-7	3
679	<i>Stenactis speciosa</i>	<i>showy</i>	19	54	82	hpt	pur.	2	6-8	3
680	<i>Stenantbera, 5 sp.</i>	<i>(5 fine sp.)</i>	5	25	Ep.	G.	2 6
681	<i>Stèvia serrata</i>	<i>serrated</i>	19	54	82	hpt	wh.	1	7-9	3
682	<i>Stipa pennata</i>	<i>(Feather-Grass)</i>	3	26	92	...	gr.	2	...	6
683	<i>Streptocarpus Rexii</i>	<i>Rex's</i>	2	25	71	G.	bl.	½	6-8	6
684	<i>Sutherlandia frutescens</i>	<i>frutescent</i>	17	45	102	hhp+	sc.	3	7-8	3
685	— <i>grandiflora</i>	<i>large-flowered</i>	6
686	<i>Tagètes lucida</i>	<i>shining</i>	19	54	82	hpt	ycl.	1	...	3
687	<i>signata</i>	<i>distinguished</i>	hha	or.	6
688	<i>Tetramèna mexicèua</i>	<i>Mexican</i>	14	59	134	G.	6-8	6
689	<i>Thermopsis fabacca</i>	<i>Faba-like</i>	10	25	102	hpt	ycl.	2	...	3
690	<i>Thunbergia alata**</i>	<i>winged</i>	2	...	62	G.	y & d	5	6-9	6

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Flos Adonis, White Candytuft, &c., having no affinity with the Latin, are not to be considered as translations.

A — is employed to indicate varieties. — — indicate sub-varieties.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flw.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flw.	Price.
738	Aster, Chinese, m.	<i>Aster sinensis</i> , pl. var.	19	54	82	hha	div.	2	8-10	s. d.
739	German quilled	— <i>fistulosus</i> , 20 v.	6
740	blue and white	— <i>cæruleo-albus</i>	b & w	4
741	dark blue	— <i>atro-cæruleus</i>	d. b.	4
742	dark red	— <i>atrorubens</i>	d. r.	4
743	light blue	— <i>late-cæruleus</i>	l. b.	4
744	new globe, 10 var.	— <i>globosus</i> , novus	div.	1 0
745	white	— <i>albus</i>	wh.	4
746	rose	— <i>roseus</i>	rose	4
747	striped	— <i>striatus</i>	str.	4
748	Turkey	— <i>turcicus</i>	red	4
749	pyramidal, 6 var.	— <i>pyramidalis</i>	div.	4
750	early dwarf	— <i>nanus præcox</i>	1	7-9	4
751	Auricula, fine Alpine	<i>Primula Auricula</i>	5	25	127	hp	...	½	5-7	6
752	extra fine	— — —	2 6
753	Balsam, finest mixed	<i>Balsamina hortensis</i>	69	ta	...	2	7-9	6
754	Camellia-fl. 6 var.	— <i>Camelliaeflora</i>	1 0
755	rose	— <i>rosea</i>	rose	4
756	scarlet	— <i>coccinea</i>	sc.	4
757	purple	— <i>purpurea</i>	pur.	4
758	new dotted	— <i>punctata nova</i>	div.	6
759	new striped	— <i>striata nova</i>	6
760	three-coloured	— <i>tricolor</i>	3col.	6
761	white	— <i>alba</i>	wh.	4
762	dwarf scarlet	— <i>coccinea nana</i>	sc.	1	...	4
763	mixed dwarf	6 varieties	div.	6
764	Cape Marigold	<i>Catendula ptuialis</i>	19	56	82	ha	w & p	...	7-8	3
765	large or hybrid	hy' brida	wh.	3
766	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	85	3
767	purple	— <i>umbellata</i>	pur.	3
768	Normandy	— <i>majior</i>	3
769	new crimson	— <i>phœnicea</i>	cr.	3
770	new blnsh	— <i>rosea</i>	rose	3
771	new rocket	— <i>coronaria</i>	wh.	1½	...	3
772	white	— <i>anara</i>	1	...	3
773	mixed	— — —	div.	3
774	Capsicum, 10 var.	<i>Capsicum annuum</i>	5	25	137	ta	f. v.	2	7-9	6
775	Catchfly, Lobel's red	<i>Silene Armeria</i>	10	28	136	ha	red	1	7-8	3
776	white	— <i>alba</i>	wh.	3
777	Cocksecomb, dwarf	<i>Cotlosia cristata</i> , nana	5	25	63	ta	cr.	6
778	Brighton prize	— <i>eximia</i>	6
779	fine yellow	— <i>flava</i>	ycl.	6
780	rose-bordered	— <i>roseo-cincta</i>	bor.	1½	...	6
781	white-bordered	— <i>albo-cincta</i>	6
782	yellow-bordered	— <i>flavo-cincta</i>	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		<i>s. d.</i>
783	Cockseomb, fl. mix.	— — —	5	25	63	ta	div.	1 ¹ / ₂	7-8	6
784	Columbine, f. mixed	<i>Aquilegia vulgaris</i>	13	30	129	hp	...	2	5-7	3
785	Chrysanthemum, tr.	<i>Chrysan. carinatum</i>	19	54	82	ha	3col.	1	7-8	3
786	new golden	— <i>luteum</i>	yel.	3
787	showy	— <i>speciosum</i>	3
788	yellow	— <i>Coronarium</i>	3	...	3
789	white	— <i>album</i>	wh.	3
790	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	83	...	bl.	1	...	3
791	white variety	— <i>alba</i>	wh.	3
792	mixed minor	— 3 varieties	b p w	3
793	new dark purple	— <i>atropurpurea</i>	d. p.	6
794	major, m.	<i>Ipomœa purpurea</i> **	hha	div.	10	7-9	3
795	extra fine, 16 var.	— — —	1 0
796	spotted	— <i>punctata</i> **	spot.	3
797	striped	— <i>striata</i> **	str.	3
798	rose	— <i>rosea</i> **	rose	3
799	very dark	— <i>atroviolacea</i> **	d. v.	3
800	white	— <i>alba</i> **	wh.	3
801	Cowslip, fine mixed	<i>Primula veris</i>	127	hpf	div.	1	4-6	3
802	Cyanus, extra fine	<i>Centaurea Cyanus</i>	19	55	82	ha	...	2	6-9	3
803	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	137	ta	p. f.	...	7-8	3
804	white-fruited	— <i>leucocarpum</i>	w. f.	3
805	Flos Adonis	<i>Adonis œstivâlis</i>	13	35	129	ha	se.	1	...	3
806	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	132	hp	red	3	5-7	3
807	white	— <i>flore-albo</i> [rium	wh.	3
808	French honeysuckle	<i>Hedysarum Coronâ-</i>	17	45	102	hbp†	red	2	6-7	3
809	white	— <i>albiflorum</i>	wh.	3
810	Globe Amaranthus	<i>Gomphrena globosa</i>	5	25	63	ta	pur.	...	7-9	3
811	flesh-coloured	— <i>carnea</i>	flesh	3
812	striped	— <i>striata</i>	str.	3
813	white	— <i>alba</i>	wh.	3
814	fine mixed	— — —	div.	3
815	Gourds, Bottle	<i>Cucurbita Lagenaria</i>	21	49	86	fa	wh.	trai	...	6
816	Hereules' Club	— <i>clavata</i>	6
817	orange	— <i>aurantia</i>	yel.	3
818	finest mixed	— — —	y&w	6
819	striped pear	— <i>ovifera striata</i>	yel.	3
820	Mammoth	— <i>Pepo</i>	3
821	Hawkweed, yellow	<i>Tolpis barbata</i>	19	53	82	ha	yel.	1	7-8	3
822	silvery	— <i>argentea</i>	wh.	3
823	purple	— <i>crispus rubra</i>	red	3
824	Heartsease, ext. fine	<i>Viola tricolor, pt. var.</i>	5	25	147	hpf†	6-9	1 0
825	Hollyhoek, fl. Germ.	<i>Atthæa rosea, 20 var.</i>	16	48	111	hp	div.	7	6-9	1 0
826	black	— <i>nigra</i>	bla.	3
827	dark red	— <i>atrorubens</i>	d. r.	3
828	crimson	— <i>kermesina</i>	er.	3
829	purple	— <i>purpurea</i>	pur.	3
830	rose	— <i>rosea</i>	rose	3
831	sulphur	— <i>sulphurea</i>	sul.	3
832	white	— <i>alba</i>	wh.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
833	Hollyhock, yellow	<i>Althæa rosea flava</i>	16	48	111	hp	yel.	7	6-9	3
834	Antwerp	<i>ficifolia</i>	buff	3
835	Nos. 825 to 834.	— — —	div.	2 6
836	Chinese violet	— <i>violæcea</i>	hpt	vio.	3	6-8	4
837	— carmine	— <i>miniata</i>	ear.	4
838	— lilac	— <i>tilacina</i>	li.	4
839	— purple	— <i>purpurea</i>	pur.	4
840	— rose	— <i>rosacea</i>	rose	4
841	— red	— <i>rubra</i>	red	4
842	Nos. 836 to 841.	— — —	div.	1 6
843	Horu Poppy, mixed	<i>Glaucium, pt. var.</i>	13	25	120	ha	...	2	7-8	3
844	three-coloured	<i>tricolor</i>	3col.	1½	...	6
845	violet	<i>Ræmèria hybrida</i>	vio.	3
846	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	90	ta	wh.	trai	5-8	3
847	Jacobæa, purple	<i>Senecio elegans</i>	19	54	82	hha	pur.	1½	7-8	3
848	double crimson	— <i>kermesina plena</i>	er.	4
849	— purple	— <i>purpurea</i>	pur.	4
850	— violet	— <i>violæcea</i>	vio.	4
851	— Mulberry	— <i>moricator</i>	mul.	4
852	— pure white	— <i>candida</i>	wh.	6
853	finest mixed	— — —	div.	6
854	Larkspur, dwarf m.	<i>Detphinium Ajacis</i>	13	28	129	ha	...	1	...	3
855	per ounce	— — —	1 0
856	dwarf blue	— <i>humile</i>	bl.	3
857	— purple	— <i>purpureum</i>	pur.	3
858	— rose	— <i>roseum</i>	rose	3
859	— white	— <i>album</i>	wh.	3
860	tall, finest mixed	<i>elatior</i>	div.	1½	...	3
861	— blue	— <i>cæruleum</i>	bl.	3
862	— rose	— <i>roseum</i>	rose	3
863	branching	<i>Consolida</i>	div.	2	...	3
864	— blue	— <i>cæruleum</i>	bl.	3
865	— rose	— <i>roseum</i>	rose	3
866	fine m. perennial	— — —	hpt	div.	...	7-9	3
867	Lavatera, red	<i>Lavatera trimestris</i>	16	48	111	lia	red	3	7-8	3
868	white	— <i>alba</i>	wh.	3
869	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	2	...	3
870	Lupines, Dutch blue	<i>Lupinus canaliculatus</i>	16	45	102	...	bl.	3
871	large blue	<i>hirsutus</i>	3
872	— rose	<i>pilosus</i>	rose	3
873	small blue	<i>angustifolius</i>	bl.	3
874	white	<i>albus</i>	wh.	3
875	yellow	<i>tateus</i>	yel.	3
876	straw-coloured	— <i>stramineus</i>	str.	3
877	mixed	— — —	div.	3
878	Mallow, 6 sp. sep.	<i>Matva, 6 sp.</i>	...	48	111	1 0
879	Marigold, French, m.	<i>Tagetes patula, pt. var.</i>	19	54	82	hha	...	1½	7-9	3
880	— dwarf	— <i>humilis</i>	d.br.	1	...	3
881	— tall	— <i>grandis</i>	str.	1½	...	3
882	— superh striped	— <i>striata superba</i>	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
883	Marigold, unique	<i>Tagetes patula striata</i>	19	54	82	hha	str.	1½	7-9	3
884	African fine mixed	<i>cresata</i> , pl. var.	y & o.	2	...	3
885	— new dwarf	— <i>humilis</i> , nova	or.	1	...	3
886	— lemon	— <i>citrina</i>	lem.	2	...	3
887	— orange	— <i>aurantiaca</i>	or.	3
888	Marvel of Peru, m.	<i>Mirabilis Jalapa</i>	5	25	115	hht	div.	3	...	3
889	— red	— <i>rubra</i>	red	3
890	— red striped	— <i>rubro-striata</i>	r. st.	3
891	— yellow	— <i>flava</i>	yel.	3
892	— yellow-striped	— <i>flavo-striata</i>	y. st.	3
893	— white	— <i>alba</i>	wh.	3
894	— three-colour'd	— <i>tricolor</i>	3col.	3
895	hybrid	<i>hybrida</i>	red	3
896	long-tubed	<i>longiflora</i>	wh.	3
897	new purple	— <i>purpurea</i>	pur.	3
898	12 f. var. mixed	— — —	div.	1 0
899	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11	28	130	ha	buff	1½	...	3
900	Nasturtions, dwarf	<i>Tropaeolum minus</i>	8	43	143	...	o & s. trai	3
901	common dwarf	— <i>dubium</i>	or.	3	...	3
902	tall	<i>Majus</i>	o & y	6	...	3
903	new carmine	— <i>miniolum</i>	car.	6
904	new spotted	— <i>venustum</i>	spot	3
905	dark red	— <i>atrosanguineum</i>	red	3
906	Nos. 900 to 905	— — —	div.	1 6
907	Nigella, dwarf	<i>Nigella damascena</i>	13	30	129	...	bl.	1	7-8	3
908	Palma Christi	<i>Ricinus major</i>	21	49	89	hha	pale	6	...	3
909	Pea, Tangier	<i>Lathyrus tingitanus</i>	17	45	102	ha	se.	4	...	3
910	new striped	— <i>striata</i> , nova	str.	3
911	Lord Anson's	— <i>magellanicus</i>	bl.	5	...	3
912	winged, 2 var.	<i>Tetragonolobus</i>	s & y.	1	...	3
913	Pea, Sweet, 6 v. sep.	<i>Lathyrus odoratus</i>	div.	4	...	1 3
914	mixed, p. lb. 2s. 6d.	— — —	3
915	black	— <i>niger</i>	bla.	3
916	painted Lady	— <i>pictus</i>	var.	3
917	purple	— <i>purpureus</i>	pur.	3
918	scarlet	— <i>coccineus</i>	se.	3
919	striped	— <i>striatus</i>	str.	3
920	white	— <i>albus</i>	wh.	3
921	Persicaria, red	<i>Polygonum orientale</i>	8	28	125	...	red	6	...	3
922	white	— <i>album</i>	wh.	3
923	Polyanthus, fine m.	<i>Primula clatior</i>	5	25	127	hht	div.	1	4-6	3
924	extra fine	— — —	1 0
925	Poppy, doub. 20 var.	<i>Papaver somniferum</i>	13	...	120	ha	...	2	7-8	3
926	black	— <i>nigrum</i> , fl. pl.	bla.	3
927	carnation	— <i>caryophylloides</i> „	str.	3
928	fringed	— <i>fimbriatum</i> „	fr.	3
929	new rose	— <i>roseum novum</i> „	rose	3
930	scarlet	— <i>coccineum</i> „	se.	3
931	white	— <i>album</i> „	wh.	3
932	dwarf French	<i>Rheas</i> , fl. pl.	div.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
933	Poppy, Chinese	<i>Papaver Rhæas</i> , var.	13	25	120	ha	sc.	2	7-8	3
934	Primrose, mixed	<i>Primula acaulis</i>	5	...	127	hpt	div.	$\frac{1}{2}$	4-6	6
935	Prince's Feather	<i>Amaranthus caudatus</i>	21	40	63	ha	red	2	7-8	3
936	new Giant	<i>speciosus</i>	pur.	3	3
937	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	$1\frac{1}{2}$...	3
938	Rocket, sweet	<i>Hesperis tristis</i>	15	61	85	hpt	wh.	...	5-8	3
939	purple	<i>malronalis</i>	pur.	3
940	Rose Champion	<i>Lychnis Githago</i>	10	30	136	ha	cr.	2	7-8	3
941	white	— <i>alba</i>	wh.	3
942	Scabions, fine dwarf	<i>Scabiosa nana</i>	4	25	87	...	div.	1	...	3
943	dark purple	<i>atropurpurea</i>	hpt	pur.	2	...	3
944	mixed	— — —	div.	3
945	new large	— <i>grandiflora</i>	6
946	— deep red	— <i>ruberrima</i>	red	6
947	— clear brown	— <i>brunnea</i>	br.	6
948	— bordered	— <i>cincta</i>	bor.	6
949	— dark brown	— <i>atrofusca</i>	br.	6
950	— lilac	— <i>atro-lilacina</i>	d. li.	6
951	— violet	— <i>atroviolacea</i>	d. v.	6
952	— rose	— <i>atro-rösea</i>	d. r.	6
953	— pale rose	— <i>rösea pallida</i>	p. r.	6
954	— purple	— <i>purpurea</i>	pur.	6
955	— white-border.	— <i>albo-cincta</i>	w. b.	6
956	— violet-border'd	— <i>violaceo-cincta</i>	v. b.	6
957	— velvety	— <i>velutina</i>	pur.	6
958	946 to 957 mixed	— — —	div.	1 0	0
959	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	102	ta.	pink	2	6-9	6
960	Snadragon, fine m.	<i>Antirrhinum Majus</i>	14	59	134	hpt	div.	3
961	extra fine m.	— <i>eximium</i>	6
962	Carnation	— <i>caryophylloides</i>	str.	6
963	lilac & yellow	— <i>lilacino-flavum</i>	6
964	pink	— <i>roseum</i>	rose	3
965	painted	— <i>pictum</i>	p & y	3
966	purple	— <i>purpureum</i>	pur.	3
967	scarlet	— <i>coccineum</i>	sc.	3
968	splendid	— <i>splendens</i>	6
969	yellow	— <i>luteum</i>	yel.	3
970	white	— <i>album</i>	wh.	3
971	Snake Melon	<i>Cucumis flexuosus</i>	21	49	86	fa	yel. trai	4
972	Spanish Broom	<i>Spartium junceum</i>	16	45	102	hp	...	3	...	3
973	Portugal Broom	<i>Cytisus albus</i>	wh.	3
974	Stock, Ten-week	<i>Mathiola annua</i>	15	61	85	hha	div.	$1\frac{1}{4}$...	3
975	scarlet	— <i>coccinea</i>	cr.	3
976	new large	— <i>majör</i>	$2\frac{1}{2}$...	6
977	new scarlet	— <i>nova</i>	$1\frac{1}{4}$...	6
978	purple	— <i>purpurea</i>	pur.	3
979	white	— <i>albu</i>	wh.	3
980	— large	— — <i>majör</i>	2	3
981	Nos. 974 to 980	— — —	div.	2 0	0
982	Stock, Germ. 20 var.	<i>Mathiola annua</i> , var.	1	6

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
983	Stock, Germ., 1. p.	<i>Mathiola annua</i> , var.	15	61	85	hha	div.	1	6-9	1 0
984	dwarf earmine	— <i>densiflora</i> , min.	ear.	6
985	— dark earmine	— <i>atro-minuta</i>	d. e.	6
986	— dark blue	— <i>atro-cærulea</i>	d. b.	6
987	— light blue	— <i>late-cærulea</i>	l. b.	6
988	— crimson	— <i>kermesina</i>	er.	6
989	— dark crimson	— <i>atrorubens</i>	d. c.	6
990	— peach-bloss.	— <i>persiciflora</i>	p. b.	6
991	— rose-colour'd	— <i>rosea</i>	rose	6
992	— violet	— <i>violacea</i>	vio.	6
993	— yellowish	— <i>lutescens</i>	yel.	6
994	— white	— <i>alba</i>	wh.	6
995	Nos. 984 to 994	— — —	div.	4 0
996	walld.-lvd, 6 var.	— <i>cheirifolia</i>	6
997	Autumnal, 12 v.	— <i>autumnalis</i>	1½	8-10	6
998	Stock, Queen, pur.	<i>incana</i>	hhb	pur.	...	5-8	3
999	scarlet	— <i>coecinea</i>	er.	3
1000	white	— <i>alba</i>	wh.	3
1001	fine mixed, 12 v.	— — —	div.	6
1002	Stock, Brompton, se	<i>simplicicaulis</i>	er.	3	...	3
1003	white	— <i>alba</i>	wh.	3
1004	purple	— <i>purpurea</i>	pur.	3
1005	earmine	— <i>minuta</i>	ear.	6
1006	crimson	— <i>kermesina</i>	er.	6
1007	copper	— <i>cuprea</i>	cop.	6
1008	violet	— <i>violacea</i>	vio.	6
1009	— dark	— <i>atroviolacea</i>	d. v.	6
1010	white German	— <i>alba</i>	wh.	6
1011	Imperial, 3 var.	<i>imperiælis</i> [<i>fl. pl.</i>]	hhp	div.	1 0
1012	Sunflower, double	<i>Helianthus annuus</i> ,	19	55	82	ha	yel.	4	7-9	3
1013	Giant	— <i>giganteus</i>	7	...	3
1014	dwarf	— <i>nanus</i>	3	...	3
1015	mixed	— — —	3
1016	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	85	hpt	wh.	1	6-9	3
1017	Sweet Sultan, pur.	<i>Amberbda mosehata</i>	19	55	82	hha	pur.	2	7-8	3
1018	white	— <i>alba</i>	wh.	3
1019	yellow	— <i>suavolens</i>	yel.	3
1020	blush	<i>Crocodytium</i>	blh.	3
1021	Nos. 1017 to 1020	— — — [<i>colum</i>]	div.	1 0
1022	Venus' Looking-	<i>Prismatoearpus Spé-</i>	5	25	76	ha	bl.	1	...	3
1023	5 var. sep. [Glass	— — — [<i>um</i>]	div.	1 0
1024	Venus' Navelwort	<i>Cynoglossum linifoli-</i>	72	...	wh.	3
1025	Virginian Stock	<i>Maledonia maritima</i>	15	61	85	...	rose	½	...	3
1026	white	— <i>alba</i>	wh.	3
1027	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3
1028	double dark	— <i>flöre-pleno</i>	d. b.	6
1029	— dwarf	— <i>nanus</i>	br.	1	...	6
1030	— blue	— <i>cæruleus</i>	bl.	2	...	1 0
1031	— violet	— <i>violaceus</i>	vio.	6
1032	Chameleon	— <i>variabilis</i>	var.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1033	Wallflower, purple	<i>Cheiranthus Cheiri p.</i>	15	61	85	hp	pur.	2	5-8	3
1034	yellow	— <i>flavus</i>	yel.	3
1035	fine mixed	— — —	div.	6
1036	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	137	ha	wh.	2½	7-9	3
1037	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	82	...	pur.	2	7-8	3
1038	white	— <i>album</i> [teatum	wh.	3
1039	yellow	<i>Elichrysium brae-</i>	yel.	3
1040	new white	— <i>album</i>	wh.	3
1041	new straw-col.	— <i>stramineum</i>	str.	3
1042	Nos. 1037 to 1041	— — —	div.	1 0
1043	Zinnia, 6 sorts mix.	<i>Zinnia, 6 sp. et var.</i>	hha	6

The following Seeds of Bulbs and Fruits are particularly adapted for New Holland, the East Indies and other distant countries, the transport of Bulbs, Plants and Trees being attended with great risk and expense.

SEEDS OF BULBOUS AND OTHER FLOWER ROOTS

In larger Packets.

	Price.		Price.
No.	s. d.	SEEDS OF PLANTS.	s. d.
1044	2 6	No.	
1045	6	1061	2 6
1046	6	1062	2 6
1047	6	1063	5 0
1048	1 0	1064	1 0
1049	2 6	1065	2 6
1050	6	1066	5 0
1051	2 6	1067	2 6
1052	2 6	1068	2 6
1053	6	1069	2 6
1054	1 0	1070	5 0
1055	2 6	1071	1 0
1056	6	1072	2 6
1057	6	1073	1 0
1058	6	1074	1 0
1059	1 0		
1060	2 6		
SEEDS OF VARIOUS FRUITS— <i>per Packet.</i>			
1075	6	1082	6
1076	6	1083	6
1077	6	1084	6
1078	6	1085	6
1079	6	1086	2 6
1080	6	1087	6
1081	6	1088	6

SEEDS OF VARIOUS FRUITS— Per Packet.		Price.	SEEDS OF VARIOUS FRUITS— Per Packet.		Price.
No.		s. d.	No.		s. d.
1089	Grape, finest sorts	1 0	1125	Quince	6
1090	Filberts, best	6	1126	Raspberry, Chapman's red	6
1091	Hazel Nuts	6	1127	— new Fastolf	1 0
1092	Melon, fine mixed	1 0	1128	— Maccy's red	6
1093	— Bayley's impregnated	1 0	1129	— new Victoria	6
1094	— Beechwood, extra	1 0	1130	— new yellow	1 0
1095	— Black Rock	6	1131	— Nivett's	6
1096	— new dark green f.	1 0	1132	— Prince Albert	1 0
1097	— Carter's green flesh	1 0	1133	— Ratter's Giant	1 0
1098	— Clark's Favourite	6	1134	— Shilling's new large	6
1099	— Davy's new Hybrid	2 6	1135	— Turkish Turban	6
1100	— Duncan's fine g. f.	6	1136	— red Antwerp	6
1101	— scarlet-fleshed Egyptian	1 0	1137	— white do.	6
1102	— fine mixed green flesh	6	1138	— large late Beehive	6
1103	— hardiest early Cantalupe	1 0	1139	— large white	6
1104	— Hoosaince	1 0	1140	— 10 finest sorts	5 0
1105	— Ispahan, extra	1 0	1141	Strawberry red Alpine	6
1106	— netted Cantalupe	6	1142	— white Alpine	1 0
1107	— netted Ispahan	1 0	1143	— new Alpine	1 0
1108	— netted Persian	1 0	1144	— Myatt's British Queen	1 0
1109	— new white Frogmore	1 0	1145	— Elton Pine	6
1110	— Niel's fine green flesh	1 0	1146	— Kecn's seedling	6
1111	— Nutmeg (American)	6	1147	— Myatt's seedling	6
1112	— Pekin, warranted extra	2 6	1148	— Prince Albert	1 0
1113	— pear-shaped, Egyptian	1 0	1149	— scarlet, for preserving	6
1114	— Pine Apple	6	1150	— old Pine	6
1115	— scarlet-fleshed, mixed	6	1151	— Turner's Pine	6
1116	— scarlet rock	6	1152	— Knight's new Elton	6
1117	— Queen's Pocket, fine	6	1153	— 10 finest sorts	5 0
1118	— Succade, fine	6	1154	Walnuts	6
1119	Mulberry, black-fruited	6	1155	Water Melon, Imperial	6
1120	— white-fruited	6	1156	— Citron, for preserving	6
1121	Nectarine, fine mixed	1 0	1157	— long Carolina	6
1122	Peach, do.	1 0	1158	— long Island	6
1123	Pear Pips, fine	6	1159	— long Mountain	6
1124	Plum, fine mixed	6	1160	— mixed	6

BULBOUS AND OTHER FLOWER ROOTS.

	Price.		Price.
	£ s. d.		£ s. d.
Achimenes, 8 in 4 var.*	3 0	Anem. Couleur de Sang, red „	3 0
Anemones, finest new Dutch, 50v. 1	0 0	— Scarlet Soldier, scarlet „	3 0
— 25 do. do. in 25 distinct sorts	10 0	— Josephine, crimson „	3 0
— 12 do. do. in 12 do. do.	5 0	— Lord High Admiral, sc. „	3 0
— Azure incomparable, p. doz.	3 0	— purpurea nova, purple „	3 0
— Celestine, fine blue „	3 0	— Rose Surpassante, rose „	3 0

BULBOUS AND OTHER FLOWER ROOTS.	Price.	BULBOUS AND OTHER FLOWER ROOTS.	Price.
	£ s. d.		£ s. d.
Anem. Rouge Superbe, red, doz.	3 0	Cyrtanthus obliquus* each	6 0
— variegated „	3 0	— odorus* „	6 0
— 60 in the above 10 var.	14 0	Dahlias, 12 f. double in 12 col.†	12 0
— 30 in do. do.	7 0	Gesnéra zebrina** each	2 0
— finest new scarlet, per lb.	16 0	Gladiolus eardinális, per doz.	4 0
— „ new mixed „	8 0	— natalensis „	2 6
— „ „ single „	4 0	— oppositiflorus „	3 6
Anemone hortensis, fl. mix. doz.	2 6	— 12 fine sorts sep.	12 0
— brilliant red „	3 0	Gloxinia maculata** each	1 6
— double red „	3 0	— rubra** „	1 6
— flame-coloured „	3 0	— Youngii** „	1 6
— large-flowered „	6 0	Habranthus, sp. ex Chile* „	2 6
— new spotted „	5 0	Hæmarthus tigrinus* „	2 6
— single purple „	2 6	Iris susiana „	9
— single red „	2 6	— tuberosa „	6
— variable „	3 0	Ismene calathina „	2 0
— 48 in 8 varieties as above	12 0	Niphea oblouga* „	1 0
— 24 in 8 do. do.	6 0	Paneratium illyricum „	1 6
— apennina, per doz.	3 0	Ranunculus, 50 in 50 finest v.	12 6
Amaryllis anlica** each	5 0	— 25 in 25 distinct var.	6 6
— calyptata**, fine green „	5 0	— 12 in 12 do. do.	3 6
— erocata superba** „	6 0	— finest mixed per 100	10 0
— equestris** „	2 6	— very fine do. „	7 6
— fornosissima, p. doz. 5s. „	6	— fine do. „	3 6
— gloriosa** „	7 6	— Turban, scarlet „	3 0
— Johnsoni* „	4 0	— — dark crimson „	5 0
— Josephiniæ*, small 10s. l. 1	0 0	— — large yellow „	4 0
— multiflora* „	10 0	— — orange „	6 0
— pumilio* „	5 0	— — Prince de Galitzin, doz.	1 0
— purpurea* „	3 6	— — Picotée aimable „	2 0
— speciosa* „	5 0	— — Séraphique, sulphur „	1 6
— reginae** „	4 0	— — red marbled „	1 6
— revoluta, true* „	4 0	— 12 of each of the above 8	7 0
— splendens** „	7 6	— — Hercules, white each	1 0
— vittata, major* „	4 0	— — Mufti, spotted „	1 0
Anomathæca cruenta* per doz.	2 6	— — new carmine „	1 6
Biphrone disticha* each	4 0	— — sulphurea superba „	1 0
— toxicaria* „	10 0	Tigridia Pavonia† per doz.	1 6
Caladium bicolor*, rare „	5 0	— — very large† „	2 6
Chlidanthus fragrans* „	1 6	— — conchiflora† each	1 0
Coburghia fulva** „	7 0	Tropæolum, sp. ex Chile* „	3 0
— incarnata** „	7 0	— tricolor. grandiflorum* „	3 0
Commelina cælestis† per doz.	2 6	Tuberoses, fine double, per doz.	3 6
Cribum capense, red each	1 0	Winter Aconites, per 100	4 0
— — albiflorum, white „	2 0		

** Stove plants, but will mostly succeed in a greenhouse. * Greenhouse plants. The others are hardy, except those marked †, which must not be planted in the open ground before May. Tuberoses require to be brought forward in a hot-bed frame or pit.

SUNDRY PLANTS.

	£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair.....	1	4	0
———— 12 single plants	0	13	0
Pieotees, extra fine, white grounds, per 12 pair	1	0	0
———— 12 single plants	0	11	0
———— yellow grounds, per 12 pair	1	4	0
———— 12 single plants	0	13	0
Chrysanthemums, fine, 10s. doz., extra fine do., per doz.....	0	18	0
Fuchsias, " 12s. doz., " " " " " " " "	1	0	0
Geraniums, 12s., 20s., 40s., 60s. to 80s. per doz.			
Heartsease or Pansies, 12 extra fine sorts.....	1	0	0
———— 12 fine varieties	0	10	0
Pinks, extra fine, per doz. pair 8s., 50 do. do.....	1	10	0
Roses, fine Standards, 12 varieties, per doz.....	1	10	0
———— Half-Standards, per doz.18s. to	1	4	0
———— dwarf, " " " " " " " " " "	0	18	0
———— climbing and Noisette, per doz.9s. &	0	12	0

To prevent J. C. from sending duplicates, he requests the names of such as are already possessed.

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, early Caulif. B. p. oz.	1 0
	Asparagus, giant	0 3		— cream-coloured "	1 0
11 to 6	Beans, early Mazagan p. qt.	0 6		— purple "	1 0
	dwarf Fan "	0 8		— white "	1 0
	new long pod "	0 8		— Malta "	1 0
	Johnson's Wonderful, "	0 8		— sprouting "	1 0
	early long pod "	0 6		— Walcheren "	1 6
	green long pod "	0 6		Chappel's ercam "	1 6
1 to 5	largest Windsor "	0 8		fine white "	1 0
	Taylor's Windsor "	0 8		Brimstone "	1 0
	green Windsor, &c. "	0 8		dwarf Russian "	1 0
4 to 6	Beet, finest red per oz.	0 4		Hampton Court "	1 0
	new German red "	0 6		Howden's superb "	1 0
	green "	0 3		Impregnated white "	1 0
	silver or Sea kail "	0 6		Invisible "	1 0
	white "	0 3		new Victoria "	1 0
4 to 5	Borecole or Kail, brown "	0 4		Knight's protecting "	1 0
	green curled "	0 4		Portsmouth "	1 0
	purple "	0 4		Winter Imperial "	1 0
	variegated, &c. &c. "	0 6		White Southampton "	1 0
4 to 6	Broccoli, earliest Cape p. "	1 0		late white "	1 0
	white Cape "	1 0		— Miller's "	1 0
	Grange's white "	1 0		— purple close-h. "	1 0
	early Belvidere "	1 0		— large white "	1 0

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
4 to 6	Broccoli, late large pur. oz.	1 0	3 to 6	Celery, large rt. Celeriac, oz.	0 6
	— Americau, ext. "	1 6		Cardoon, Spanish "	0 6
	very late d. Danish "	1 0		new large purple pa.	1 0
	6 best for succession	6 0		Chervil, curled per oz.	0 4
5 to 6	Brussels sprouts, extra fi. "	1 0	5 to 7	Corn Salad "	0 3
3 to 9	Cabbage, Americau, per oz.	1 0	2 to 9	Cress, common, per quart	1 0
	Atkins' Matchless "	1 0		triple curled "	1 6
	Carter's new Matchless	1 6		Cress, golden "	2 0
	early dwarf per oz.	0 6		Amer. perennial p. oz.	0 3
	— Hope "	0 6		Water per pa.	0 6
	— Nonpareil "	0 6	1 to 6	Cucumber, fine frame "	0 6
	— York "	0 6		fine long prickly "	0 6
	— Battersea "	0 6		Philip's long "	0 6
	— East Ham "	0 6		fine Ridge "	0 6
	— Emperor "	0 6		short prickly "	0 3
	— heart-shaped "	0 6		green Turkey "	0 6
	— Paignton "	0 6		white Turkey "	0 6
	— Plaw "	0 6		Cambridge Hero "	1 0
	— Queen "	1 0		Cambridge Prize "	1 0
	— Sugar-loaf "	0 6		Carter's Champion, ext.	2 6
	— Vanack "	0 6		Cuthbert's * Colney }	2 6
	— Wellington, &c. "	0 6		Hatch, warr. extra }	2 6
	large Imperial "	0 6		Improved Manchester	0 6
	— Battersca "	0 6		Latter's Victory of Eng.	1 0
	6 best sorts, 1 oz. each	3 6		Manchester Prize "	0 6
	Red Dutch "	0 6		Man of Kent "	0 6
	Cabbage, drumhd. Savoy "	0 6		Prince of Wales "	1 0
	large green Savoy "	0 6		Roman Emperor "	0 6
	yellow Savoy "	0 6		Sion House* "	0 6
	Braganza "	0 8		Snow's Horticultural	1 0
	Pe-tsay or Chinese pa.	0 6		Stewart's Ringleader	2 6
	Pak-choi, new Chinese	1 0		superb white spine "	1 0
	Turniprooted ab. g. oz.	0 6		Victory of Suffolk "	0 6
	Turniprooted un. g. "	0 6		Walker's Prize-fighter	0 6
	Chou de Milan "	0 8		— Rambler "	0 6
2 to 8	Carrot, earliest Horn "	0 3		— Traveller "	0 6
	long Surrey "	0 3		Weedon's frame "	0 6
	— orange "	0 3		Cuthill's black spine *	0 6
	Altringham "	0 3		6 finest varieties	7 6
	Cauliflower, early Eng. "	1 0	6 to 8	Endive, green curled, p. oz.	0 6
	late English "	1 9		white curled "	0 6
	large Asiatic "	1 0		Batavian, white "	0 6
	late Cyprus "	1 0		— green "	0 6
3 to 6	Walcheren "	1 6	5 to 7	French beans, allsorts per qt.	1 0
	Celery, solid white "	0 4		Scarlet Runners "	1 0
	solid red "	0 4		Painted Lady "	1 6
	giant red "	0 6		Indian Corn, per pa.	0 3
	giant white "	0 6	3 to 5	Leek, London Flag p. oz.	0 6
	new curled "	0 6	1 to 8	Lettuce, Bath Cos*	1 0
	Seymour's white "	0 6		black-seeded do. do.* "	1 0

* Best for Autumn sowing.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
* Best for Autumn Sowing.	1 to 8 Lettuce, Ady's large Cos, p. oz.	1 0	2 to 5 Parsnip, hollow-crowned, oz.	0 3	
	blood Cos "	1 0	Guernsey "	0 3	
	brown Cos* "	1 0	9 to 5 Peas, early sorts per qt.		
	black seed g. Cos "	1 0	— Prince Albert "	1 6	
	dwarf Siberian Cos "	1 0	— May "	0 8	
	Egyptian Cos* "	1 0	— Shilling's Grotto "	1 6	
	Florence Cos "	1 0	— Race-horse "	0 8	
	green Cos "	1 0	— Warwick "	0 8	
	new black-seeded* "	1 0	— d. blossom frame "	0 8	
	Paris Cos "	1 0	— Nimble "	0 6	
	spotted Cos "	1 0	— Hotspur "	0 6	
	white Cos "	1 0	— Charlton "	0 6	
	white winter Cos "	1 0	— Bishop's dwarf "	0 9	
	Silesia "	1 0	3 to 6 Peas, later sorts per qt.		
	brown Dutch* "	1 0	— Carter's Lilliputian "	7 6	
	Drumhead cab. "	1 0	— new Colossus "	3 0	
	Grand Admiral ca. "	1 0	— Glory of England "	1 0	
	Imperial cabbage "	1 0	— Marrow, dwarf wh. "	0 8	
	Malta cabbage "	1 0	— — tall white "	0 8	
	Marseilles cabbage "	1 0	— — dwarf green "	0 8	
	Large Mogul cab. "	1 0	— — tall green "	0 8	
	Hammersmith, hardy* "	1 0	— — early green "	0 8	
	Tennis ball "	1 0	— — Woodford's g. "	0 8	
	white cabbage* "	0 6	— — Grotto "	0 8	
	New Cape cabbage, pa. "	1 0	— — Royal Victoria "	1 0	
	8 finest sorts "	7 0	Knight's marrow, d. "	1 0	
4 and 5	Love apple or Tomato p. pa.	0 3	— tall white "	1 0	
	yellow "	0 3	— dwarf green "	1 0	
1 to 5	Melon, see page 26		— tall green "	1 0	
3 to 9	Mustard, white p. quart	1 0	Matchless "	0 8	
	brown "	1 0	new Milford "	0 8	
3 to 8	Onion, blood-red per oz.	0 6	— Wrinkle "	1 6	
* Best for Autumn Sowing.	Deptford* "	0 6	— dwarf Victory "	1 0	
	Globe "	0 6	— Mammoth "	1 0	
	— new white "	0 6	Prussian blue "	0 8	
	James' keeping "	0 6	Groom's superb "	1 0	
	Lisbon* "	0 6	Imperial, Bedman's, "	0 8	
	Pickling "	0 8	new British Queen "	1 6	
	Portugal, white "	0 6	Queen of the dwarfs "	7 6	
	Reading, white "	0 6	Scimitar, dwarf blue, "	0 8	
	Silver-skinned "	0 6	10 ext. fine sorts "	12 0	
	Spanish, white* "	0 6	4 to 6 Potato Seed per pa.		
	— brown "	0 6	— ash-leaved kidney "	0 6	
	Strasburg* "	0 6	— Buntingford kidney "	0 6	
	Tripoli* "	0 8	— Cockney, round "	0 6	
	Two-bladed "	0 8	— early kidney "	0 6	
	Welch* "	0 6	— early round "	0 6	
7 to 5	Parsley, curled "	0 3	— early Shaw, round "	0 6	
	extra curled "	0 4	— elm-leaved kidney "	0 6	
	Hambro', rooted "	0 4	— Manly's round "	0 6	

Month of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
4 to 6	Potato Seed, per pa.		2 to 5	Vegetable Marrow per pa.	0 6
	— Oxenoble, round "	0 6		SWEET HERBS, &c.	
	— Princee Regent "	0 6	4 to 6	Balm per pa.	0 3
	— white Kent kidney "	0 6		Basil, sweet "	0 3
	— York red, round "	0 6		— bush "	0 3
	— early golden globe "	0 6		Borage "	0 3
	— Bread-fruit, round "	0 6		Bugloss "	0 3
	— Dutch Silverskin "	1 0		Burnet "	0 3
	— 14 sorts as above "	7 0		Clary "	0 3
5 and 6	Purslain, green per oz.	0 6		Capsieum and Chilis "	0 6
1 to 8	Radish, long frame per qt.	2 6		Fennel "	0 3
	Wood's new frame "	2 6		Florencee Fennel "	0 6
	early scarlet "	2 0		Hyssop "	0 3
	early short topt "	2 0		Lavender "	0 3
	long Salmon "	2 0		Marjoram, sweet "	0 3
	white Naples "	2 6		— pot "	0 3
	purple Salad "	1 6		Marigold, pot "	0 3
	red Turnip "	2 0		Rosemary "	0 3
	white Turnip "	2 0		Wormwood "	0 3
	new Chinese, rose- }	0 6		Sage "	0 3
	coloured Winter, pa. }	0 6		Savory, Summer "	0 3
	olive-shaped per oz.	0 3		— Winter "	0 3
	Black Spanish "	0 3		Thyme "	0 3
4 to 5	Rampion per pa.	0 6		Fruit Seeds, see page 25.	
1 to 8	Rape, Salad per qt.	1 0		ROOTS, PLANTS, &c.	
3 to 5	Rhubarb, fine mixed per oz.	0 6		<i>The Prices variable.</i>	
	Giant per pa.	0 6		Artichokes per peek	
	Tobolsk "	0 6		Asparagus, all sorts	
	Salsafy per oz.	0 6		Chives per 100	
	Seorzonera "	0 6		Garlic per lb.	1 0
2 to 5	Sea Kail per qt.	2 0		Horse Radish per doz.	
	Skirret per oz.	0 8		Mushroom Spawu per bush.	4 0
	Sorrel "	0 6		Potato, early foreing, all sorts	
2 to 6	Spinaeh, round per qt.	1 0		— Wright's prolifc, &c. &c.	
2 to 10	prickly "	1 0		Rhubarb, Tobolsk each	1 0
	broad Flanders "	1 0		Myatt's Victoria "	1 6
3 to 5	New Zealand per oz.	0 6		Dully's scarlet "	1 0
2 to 5	Squash, 3 var. mixed per pa.	0 6		Roeambole per lb.	
	6 var. separate "	1 6		Shallots "	1 0
2 to 6	Turnip, early Dutch per oz.	0 3		Sea Kale per 100	
	early Mousetail "	0 3		Strawberries, various "	
	— Snowball "	0 3		Raspberries, all sorts.	
3 to 9	— six week "	0 3			
	— stone "	0 3			
	yel. Altringham "	0 3			
	— Maltese "	0 3			
	— stone "	0 3			
3 to 5	Teltau, German "	0 6			

AGRICULTURAL SEEDS.

Cabbage, largest field	per lb.	Grass, mixed Lawn	per Acre
Carrot, ext. large white	"	Mangel Wurzel, all sorts	per lb.
Grasses, all sorts	separate	Turnip,	do, " &c. &c.

Russia Mats, Garden Utensils, Netting, &c. &c.—Seeds packed for Exportation to India, &c., as to insure their vegetating.

FRUIT TREES.	Dwarfs.		Standards.	Dwarfs, trained.		Standards, trained.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Apples, fine sorts	9	to 10	2	6	3	6
Apricots, various, finest	1	6	to 2	6	6	0
Almonds, fruit-bearing	1	6	3	6		
Cherries, very fine sorts	1	0	2	6	3	6
Nectarines, ditto ditto	1	6	3	6	6	0
Peaches, ditto ditto	1	6	3	6	6	0
Pears, great variety	1	0	2	6	3	6
Plums, fine sorts	1	0	2	6	3	6
Medlars.....	1	0	2	6		
Quinces			2	6		

Gooseberries, 12 extra fine large prize varieties, 15s.

Grape Vines, Pine-apple Plants, &c. &c.

**** A Catalogue of Genuine Dutch Bulbs will be published in Autumn.**

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.

— Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.

— Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3l.

— Supplement to do. 8vo. 7s. 6d.

— Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.

— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1l. 10s. plain, 3l. 6s. coloured.

— The Gardener's Magazine. In 9 vols. 8vo. 9l. 17s.

— The Suburban Horticulturist. 1 vol. 8vo. 380 Engrs. 16s. An excellent work.

Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, £8 18s. 6d.

— Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.

Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.

— Sertum Orchidaceum, splendidly coloured, 10 parts. 25s. each.

PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.

— Pocket Botanical Dictionary. 15s.

MAUND'S Botanic Garden, col. monthly, large 1s. 6d. small 1s.

DECANDOLLE'S Vegetable Organography, translated by Boughton Kingdon,

Esq. 2 vols. 8vo. 23 plates. £1 8s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1845.